
KM 5624 240V
30-inch electric cooktop, operated with its own controls




- Easy and direct controls – operation via knob controls
- Attractive design – 30 5/8 (775) in (mm) wide with stainless steel frame
- Versatile – 4 cooking zones
- Safe – residual heat indicator for every cooking zone

EAN: 4002514865911 / Material number: 07821680 /
Old Material Number: 26562450USA

General information	
Model number	KM 5624 240V
Manufacturer material number	07821680
EAN number	4002514865911
Marketing class	Gold
Heating type	
Fuel type	Electric
Design	
Independent of oven	•
Design	
Elegant glass ceramic surface	•
Ceramic surface colour	Black
Stainless steel frame	•
Print design	Basalt grey decor
Proud installation	•
Cooking zone details	
No. of rings	4
1st cooking zone/cooking area	
Position	front left
Type	Variable cooking zone
Size in mm	Ø 180 / Ø 230
Max. rating in W	1600/2500
2nd cooking zone/cooking area	
Position	rear left
Type	Single-circuit ring
Size in mm	Ø 145
Max. rating in W	1200
3rd cooking zone/cooking area	
Position	rear right
Type	Variable cooking zone
Size in mm	Ø 120 / Ø 180
Max. rating in W	700/1800
4th cooking zone/cooking area	
Position	front right
Type	Variable cooking zone
Size in mm	Ø 120 / Ø 180
Max. rating in W	700/1800
User convenience	
Extended cooking zone	•
Display colour	Red
Operation via knobs	•
Efficiency	
Residual heat utilisation	•
Cleaning convenience	
Easy to clean ceramic glass	•
Safety	
Overheating protection	•
Residual heat indicator	•

KM 5624 240V
30-inch electric cooktop, operated with its own controls




EAN: 4002514865911 / Material number: 07821680 /
Old Material Number: 26562450USA

Technical data	
Dimensions (H x W x D) in mm	3 1/4 (81) x 30 5/8 (775) x 21 1/2 (544)
Dimensions (width) in in. (mm)	30 5/8 (775)
Height in in. (mm)	3 1/4 (81)
Dimensions in mm (depth)	21 1/2 (544)
Cutout dimensions (width) in in. (mm)	28 5/8 in (724 mm)
Electrical plug	Sup. lead w/ wire-end ferrules
Cutout dimensions (depth) in in. (mm)	20 1/2 in (518 mm)
Casing height incl. connection box in mm	3 (75)
Weight in lbs. (kg)	35 (16)
Total connected load in kW	7.30
Power cord length in in. (m)	4 (1.4)
Voltage in V	240
Frequency in Hz	60
Standard accessories	
Razor-blade scraper	•
Power cord	•


KM 5624 240V

30-inch electric cooktop, operated with its own controls



KM 5624 (Installation drawing)

1. Front, 2. Building-in depth, 3. Flexible metal hose, L = 1200 mm



KM 5624 (Installation drawing)

1. Front, 2. Building-in depth, 3. Flexible metal hose, L = 47 1/4"