
KM 5880 240V

42-inch electric cooktop, operated with its own controls




- Quick selection using numerical linear keybanks – Direct control plus
- Attractive design – 42 5/8 (1080) in (mm) wide with stainless steel frame
- Versatile – 5 cooking zones
- Convenient – Auto heat-up for every cooking zone
- Safe – residual heat indicator for every cooking zone

EAN: 4002514866710 / Material number: 07821780 /
Old Material Number: 26588050USA

General information	
Model number	KM 5880 240V
Manufacturer material number	07821780
EAN number	4002514866710
Marketing class	Platinum
Heating type	
Fuel type	Electric
Design	
Independent of oven	•
Design	
Elegant glass ceramic surface	•
Ceramic surface colour	Black
Stainless steel frame	•
Print design	Basalt grey decor
Proud installation	•
Cooking zone details	
No. of rings	5
1st cooking zone/cooking area	
Position	front left
Type	Variable cooking zone
Size in mm	Ø 180 / Ø 230
Max. rating in W	1600/2500
2nd cooking zone/cooking area	
Position	rear left
Type	Single-circuit ring
Size in mm	Ø 145
Max. rating in W	1200
3rd cooking zone/cooking area	
Position	rear center
Type	Triple-circuit ring
Size in mm	Ø 145 / Ø 210
Max. rating in W	1100/2400
4th cooking zone/cooking area	
Position	rear right
Type	Triple-circuit ring
Size in mm	Ø 145 / Ø 210 / Ø 270
Max. rating in W	1100/2150/3100
5th cooking zone/cooking area	
Position	front center
Type	Variable cooking zone
Size in mm	Ø 120 / Ø 180
Max. rating in W	700/1800
User convenience	
Operation via sensor controls	Direct Control Plus
Extended cooking zone	•
Display colour	Red
Auto heat-up	•
Stop & Go function	•

KM 5880 240V
42-inch electric cooktop, operated with its own controls




EAN: 4002514866710 / Material number: 07821780 /
Old Material Number: 26588050USA

Minute minder	•
Safety switch-off	•
Cleaning convenience	
Easy to clean ceramic glass	•
Safety	
Safety cut-out	•
Lock function	•
System lock	•
Overheating protection	•
Residual heat indicator	•
Technical data	
Dimensions (H x W x D) in mm	2 1/2 (62) x 42 5/8 (1080) x 21 1/2 (544)
Dimensions (width) in in. (mm)	42 5/8 (1080)
Height in in. (mm)	2 1/2 (62)
Dimensions in mm (depth)	21 1/2 (544)
Cutout dimensions (width) in in. (mm)	40 3/4 in (1035 mm)
Electrical plug	Sup. lead w/ wire-end ferrules
Cutout dimensions (depth) in in. (mm)	20 1/2 in (518 mm)
Casing height incl. connection box in mm	2 3/4 (67)
Weight in lbs. (kg)	46 (21)
Total connected load in kW	11.00
Power cord length in in. (m)	4 (1.4)
Voltage in V	240
Frequency in Hz	60
Standard accessories	
Razor-blade scraper	•
Power cord	•


KM 5880 240V

42-inch electric cooktop, operated with its own controls



KM 5880 (Installation dreawing)

1. Front, 2. Building-in depth, 3. Flexible metal hose, L = 1200 mm



KM 5880 (Installation dreawing)

1. Front, 2. Building-in depth, 3. Flexible metal hose, L = 47 1/4"