CIT36YWB
36-INCH FREEDOM® INDUCTION COOKTOP
MASTERPIECE® COLLECTION, DARK GRAY WITH STAINLESS STEEL FRAME



ADA COMPLIANT† C DEKRA US Home Connect

ALSO AVAILABLE:

CIT36YWBB – Dark Gray, Frameless

FEATURES & BENEFITS

★ - Largest 36" fully usable cooking surface on the market within it's class

★ - 56 inductor elements combined with pot detection automatically recognizes the size, shape and position of your cookware on the cooktop

- Home Connect® with Cooktop-Hood Sync can pair with a matching hood to synchronize and automatically turn on task lighting and ventilation when the cooktop is in use

★ - Sapphire Glow® LED embedded surface lights along the sides of cooktop provide visual feedback when a pot is moved or whether a pot is heated or not

★ - TeppanyakiPro® function divides a teppanyaki griddle into one heated and one non-heated area

GENERAL PROPERTIES	
Home Connect® (Wi-Fi Enabled)	Yes
Controls	Full Color Touch Screen Display
ELEMENT PERFORMANCE	
Power of Full Surface Heating Element	3,500 W
Power of Full Surface Heating Element (In Boost)	5,500 W
Burners With Booster	All
COOKWARE SIZE (UP TO 6 POTS HEATED)	
Minimum Cookware Size*	3 1/2" x 3 1/2"
Maximum Cookware Size*	13"x 21"
TECHNICAL DETAILS	
Watts (W)	7,200 W
Circuit Breaker (A)	30 A
Volts (V)	208 / 240 V
Frequency (Hz)	50 / 60 Hz
Plug Type	No Plug
Conduit	39" Flexible 3-Wire
Energy Source	Electric
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD) (in)	4 1/8" x 37" x 21 1/4"
Required Cutout Size (HxWxD) (in)	4 1/8" x 34 3/4" x 19 7/8"
Minimum Distance From Counter Front (in)	2 1/2"
Minimum Distance From Rear Wall (in)	2"
Net Weight (lbs)	79 lbs
WARRANTY	
Limited Warranty, Entire Appliance, Parts and Labor	2 Year

*Cookware must have a flat bottom in order to utilize the full surface. Only use ferromagnetic cookware for induction cooking.

ACCESSORIES (OPTIONAL)



TCOOKSENSW
Wireless Cooking Sensor




TEPPAN1321
Griddle Style Teppanyaki
13" x 21"

†To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

★ THERMADOR® EXCLUSIVE

CIT36YWB
36-INCH FREEDOM® INDUCTION COOKTOP
MASTERPIECE® COLLECTION, DARK GRAY WITH STAINLESS STEEL FRAME

36-INCH COOKTOP AND CUTOUT DIMENSIONS



* Minimum distance from cutout to the wall
** Installed depth includes 1" (26 mm) required air gap
*** Minimum distance between the surface of the cooktop and the lower edge of the exhaust hood.


measurements in inches (mm)

NOTE: The work surface should be horizontal and level. The stability of the countertop should be confirmed even after making the cutout.

PFAS

CIT36YWB
36-INCH FREEDOM® INDUCTION COOKTOP
MASTERPIECE® COLLECTION, DARK GRAY WITH STAINLESS STEEL FRAME

INSTALLATION ABOVE A THERMADOR WALL OVEN




Product Type	A Inches (mm)	B min. Inches (mm)	C max. Inches (mm)
Conventional Oven	28 1/4 (718)	31 1/4 (794) min.	4 3/4 (121)
Steam Oven	25 1/16 (636)	28 1/16 (713)	7 15/16 (202)
Microwave / Speed Oven	19 1/4 (488)	24 (609) min.	12" (306)
Microwave / Speed Oven with Warming Drawer*	28 1/4 (718)	31 1/4 (794) min.	4 3/4 (121)

When installing an oven or oven with a drawer in combination with a cooktop, a minimum distance between the cabinet floor and countertop (B) is required. Reference the table for dimensions. Refer to the oven installation guide for all other measurements.

VENTILATION CLEARANCE REQUIREMENTS

Measurements in inches (mm)



These warranties give you specific legal rights and you may have other rights that vary from state to state. Limited warranty from date of delivery. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2026 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.