Miele

M 2241 SC

Built-in microwave oven, 24" width
with sensor controls on the side for convenient operation.



- 7-segment display with sensor controls – EasySensor
- Perfect defrosting and cooking – Automatic Programs
- Food remains at serving temperature – keep warm function
- Compact 0.92 cu. ft. oven capacity
- Popcorn and drinks at the touch of a button

EAN: 4002516540335 / Material number: 11845640 /
Old Material Number: 24224120USA

General information	
Model number	M 2241 SC
Manufacturer material number	11845640
EAN number	4002516540335
Marketing class	Silver
Construction type and design	
Color	Obsidian Black
Built-in microwave oven	•
Neutral design	•
SideControl	•
Convenience features	
Keep-warm function	•
Operating modes	
Microwave	•
Automatic programs	•
User convenience	
Display	EasySensor
Popcorn function	•
Drinks functions	•
Time of day display	•
Minute minder	•
Programmable cooking time	•
Minute Plus button	•
Individual settings	•
Efficiency	
Night dimming	•
Cleaning convenience	
Stainless-steel oven cavity	•
Safety	
System lock	•
Safety switch	•
Child lock "Door" in display	•
Technical data	
Cavity volume in cu.ft (l)	0.92 (26)
Appliance dimensions (W x H x D) in inches (mm)	23 3/8 (595) x 17 3/4 (452) x 15 3/4 (401)
Electrical plug	NEMA plug: 5–15
Oven interior lighting	1 LED spot
Door hinging	Left
Cavity height in in. (cm)	8 1/4 (20.7)
Turntable diameter in in. (cm)	12 7/8 (32.5)
Electronically controlled microwave power	•
Microwave power levels	1-7
Maximum microwave output in W	900
Niche width min. in inches (mm)	22 1/4 (562)
Niche width max. in inches (mm)	22 3/8 (568)
Niche height min. in inches (mm)	17 3/4 (450)
Niche height max. in inches (mm)	17 3/4 (452)

M 2241 SC
Built-in microwave oven, 24" width
with sensor controls on the side for convenient operation.




EAN: 4002516540335 / Material number: 11845640 /
Old Material Number: 24224120USA


Niche depth in in. (mm)	500
Weight in lbs. (kg)	40 (18.0)
Ventilation independent of cabinetry	•
Total connected load in kW	1.4
Power Rating in V	120
Frequency in Hz	60
Fuse rating in A	10
Number of phases	1
Length of power cord in m	1.60
Standard accessories	
Lazy Susan	1

M 2241 SC


Built-in microwave oven, 24" width
with sensor controls on the side for convenient operation.



M2241SC, Einbau, 30 Zoll, Proud – Skizze – NA




M2241SC, Einbau, 30 Zoll, Proud, breite Front – Skizze – NA




M2241SC, Installation, 30 Zoll, Proud – Skizze – NA

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, , ! – Electrical and water supplies are recommended to be placed in adjacent cabinetry., Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., , E = Electric connection




M2241SC, Installation, 30 Zoll, Proud, breite Front – Skizze – NA

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, ! – Electrical and water supplies are recommended to be placed in adjacent cabinetry., Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., , E = Electric connection



M2241SC, Seitenansicht, 30 Zoll, Flush, inset – Skizze – NA

7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel




M2241SC, Einbau, 30 Zoll, Flush, inset – Skizze – NA

7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel


M 2241 SC

Built-in microwave oven, 24" width
with sensor controls on the side for convenient operation.




M2241SC, Einbau, 30 Zoll, Flush, inset, breite Front – Skizze – NA

7/8“ – 22* mm – Glass, 15/16“ – 23.3** mm – Stainless steel



M2241SC, Installation, 30 Zoll, Flush, inset – Skizze – NA

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, ! – Electrical and water supplies are recommended to be placed in adjacent cabinetry., Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., , E = Electric connection



M2241SC, Installation, 30 Zoll, Flush, inset, breite Front – Skizze – NA

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, ! – Electrical and water supplies are recommended to be placed in adjacent cabinetry., Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., , E = Electric connection