




TOP VIEW





FRONT VIEW

PROFILE VIEW

FISHER & PAYKEL

DATA SHEET

Wall Range Hood, 36″, Box Chimney

Model nos:

HC36DCXB4

(refer pages 3-4 for metrical measurements)

Product Dimensions	**In**
Ⓐ Maximum height of range hood*	40 3/4″
Ⓑ Minimum overall height - recirculating	26 9/16″
Ⓒ Minimum overall height	25″
Ⓓ Overall width of range hood	35 3/8″
Ⓔ Overall depth of range hood	19 11/16″
Ⓕ Height of canopy	2 3/16″
Ⓖ Width of chimney	12 5/8″
Ⓗ Depth of chimney	11 7/16″
Ⓘ Distance from center plane to hard wiring box center	5 1/16″
Ⓙ Distance from back of product to center of wiring box	6″
Ⓚ Ducting outlet diameter	6″
Ⓛ Distance from center of ducting outlet to back of product	3 3/8″
Ⓜ Height of datum to top of lower chimney section	23 7/16″

* Maximum height with chimney extension accessories 55 1/8″.

Minimum distance above cooktops	**In**
Height from base of product to cooking surface	min 24″


Note: Minimum installation height may be greater if required by your cooktop. Refer to cooktop installation instructions.


INDICATES PRODUCT DATUM ----------


INDICATES CABINETRY CLEARANCES ----------

DATE: 24.08.2023 90003065A

IMPORTANT NOTE: Throughout this guide, dimensions may vary by ±2mm (1/16″). Please read the installation guide for detailed information on installing the product. For full installation instructions & specifications visit fisherpaykel.com







FISHER & PAYKEL

DATA SHEET

Wall Range Hood, 36", Box Chimney


Model nos:
HC36DCXB4
(refer pages 3-4 for metrical measurements)

Product Dimensions	**In**
Ⓐ Lower range hood attachment point width	22 13/16"
Ⓑ Lower range hood attachment point height	1 7/16"
Ⓒ Upper range hood attachment point height	11 5/16"
Ⓓ Chimney bracket attachment point height	22"
Ⓔ Light length	28 9/16"
Ⓕ Distance from center of light to front of product	2 3/16"


INDICATES PRODUCT DATUM ----------
INDICATES CABINETRY CLEARANCES ----------


DATE: 24.08.2023 90003065A

IMPORTANT NOTE: Throughout this guide, dimensions may vary by ±2mm (1/16"). Please read the installation guide for detailed information on installing the product. For full installation instructions & specifications visit fisherpaykel.com



TOP VIEW





FRONT VIEW

PROFILE VIEW

FISHER & PAYKEL

DATA SHEET

Wall Range Hood, 36", Box Chimney

Model nos:

HC36DCXB4

(refer pages 1-2 for imperial measurements)

Product Dimensions	**mm**
(A) Maximum height of range hood*	1035
(B) Minimum overall height - recirculating	675
(C) Minimum overall height	635
(D) Overall width of range hood	898
(E) Overall depth of range hood	500
(F) Height of canopy	55
(G) Width of chimney	320
(H) Depth of chimney	290
(I) Distance from center plane to hard wiring box center	129
(J) Distance from back of product to center of wiring box	150
(K) Ducting outlet diameter	150
(L) Distance from center of ducting outlet to back of product	85
(M) Height of datum to top of lower chimney section	595

* Maximum height with chimney extension accessories 1400mm.

Minimum distance above cooktops	**mm**
Height from base of product to cooking surface	min 610


Note: Minimum installation height may be greater if required by your cooktop. Refer to cooktop installation instructions.


INDICATES PRODUCT DATUM ----------

INDICATES CABINETRY CLEARANCES ----------

DATE: 24.08.2023 90003065A

IMPORTANT NOTE: Throughout this guide, dimensions may vary by ±2mm (1/16"). Please read the installation guide for detailed information on installing the product. For full installation instructions & specifications visit fisherpaykel.com







FISHER & PAYKEL

DATA SHEET

Wall Range Hood, 36", Box Chimney

Model nos:

HC36DCXB4

(refer pages 1-2 for imperial measurements)

Product Dimensions	**mm**
Ⓐ Lower range hood attachment point width	580
Ⓑ Lower range hood attachment point height	36
Ⓒ Upper range hood attachment point height	288
Ⓓ Chimney bracket attachment point height	558
Ⓔ Light length	725
Ⓕ Distance from center of light to front of product	55

INDICATES PRODUCT DATUM ----------

INDICATES CABINETRY CLEARANCES ----------

DATE: 24.08.2023 90003065A

IMPORTANT NOTE: Throughout this guide, dimensions may vary by ±2mm (1/16"). Please read the installation guide for detailed information on installing the product. For full installation instructions & specifications visit fisherpaykel.com