# XOU15WOF

15” FULL PANEL OVERLAY SINGLE ZONE
WINE COOLER

## LIFESTYLE REFRIGERATION





**XOU15WGOF**

- Glass Shelves Fully Extend While Loaded
- Tri-Color LED Interior Lighting
- Secure Door Lock
- Shelves Adjust To 15 Different Positions

15 ” UNDERCOUNTER WINE COOLER w/OVERLAY FRAME DOOR

Keep 34 bottles close at hand and ready to serve at 41° to 64° F.


This elegant, efficient wine storage and serving center is the perfect choice for convenient entertaining. At only 15” wide and designed to install flush with your cabinetry, this quiet and efficient wine cooler will prove to be the ideal choice for entertaining or just relaxing.

WORLD CLASS SERVICE | COMPREHENSIVE WARRANTIES

OUR LASTING COMMITMENT TO YOU

# XOU15WGOF

## 15” FULL PANEL OVERLAY SINGLE ZONE WINE COOLER




## FEATURES

### CAPACITY

Full extension smooth glide racks hold:
(28) 750ml bottles at 41° to 64° F

### FEATURES

- Wire Racks Absorb Vibration And Extend Fully
- Tri-Color Led Lighting
- Secure Door Lock
- Single Zone To Store And Serve
- Flush undercounter Installation Design
- Low-E Glass Blocks Damaging Uv Light
- Intuitive Electronic Controls
- X-Active purifies and circulates air
- Quiet Operation 39 Dba
- Designed for residential or commercial settings

Note: zero clearance hinges are visible just above and below the door

## SPECIFICATIONS

| | |
|---|---|
| **ELECTRICAL** | 115V 60HZ 1.2 AMP* |
| **DIMENSIONS** | H 34 1/8”<br>W 14 15/16”<br>D 23 3/4” (w 3/4” finish panel) |
| **ROUGH IN** | H 34 1/4“ min<br>W 15 1/4”<br>D 24” |
| **REFRIGERANT** | R600A |

XO the next level in luxury appliances

xoappliance.com | 800.966.8300


ENERGY STAR

XO is exclusively distributed by EASTERN MARKETING CORP.
24 Eisenhower Parkway Roseland, NJ 07068

# XOU15WGOF

## 15” FULL PANEL OVERLAY SINGLE ZONE WINE COOLER

### ROUGH IN DIMENSIONS





ALL XO UNDERCOUNTER UNITS ARRIVE PRE-WIRED WITH LOW PROFILE PLUGS FOR EASY INSTALLATION



NEED MORE SPACE - CUT INTO AN ADJOINING CABINET TO REACH AN OUTLET THERE







WHEN INSTALLING WITH THE HINGE SIDE NEXT TO A WALL - LEAVE ADEQUATE SPACE FOR CABINET HANDLES


DOOR MUST BE ABLE TO OPEN A MINIMUM OF 90°.

### OVERLAY FRAME DIMENSIONS




TO ACCOMMODATE THE HINGE PINS ON THE HINGE SIDE OF THE PANEL Drill a hole at least 5/16" in diameter and 1" deep into the top and bottom of the frame in the location shown




THE DOOR STOP IS SET AT 110° BUT CAN BE RESET TO 90° OR 140°.

IF THE DOOR CANNOT OPEN FULLY YOU CANNOT EXTEND THE RACKS.

XO the next level in luxury appliances

xoappliance.com | 800.966.8300