FRIGIDAIRE
GALLERY



36" Gas Range with Air Fry

Gas Range

Available Products: GCFG3661AF

Available Colors: Stainless Steel

Version: 11/25

## Product Specifications

### Cooking Controls

| | |
|---|---|
| Air Fry | Yes |
| Bake | Yes |
| Bread Proof | Yes |
| Broil | Yes |
| Clock | Yes |
| Convection Bake | Yes |
| Convection Convert | Yes |
| Convection Roast | Yes |
| Cook Time | Yes |
| Dehydrate | Yes |
| Delay Clean | Yes |
| Delay Start | Yes |
| Door Lock | Yes |
| Keep Warm | Yes |
| Kitchen Timer | Yes |
| Lockout | Yes |
| On-Off | Yes |
| Oven Light | Yes |
| Oven Lock | Yes |
| Probe | Yes |
| Quick Preheat | Yes |
| Self Clean | Yes |
| Set Clock | Yes |
| Slow Cook | Yes |
| Steam Bake | Yes |
| Steam Clean | Yes |
| Steam Roast | Yes |
| Temperature Display | Yes |
| Timer On / Off | Yes |

### Cooking Controls Function

| | |
|---|---|
| Change between Continuous Bake Setting or 12-Hour Energy Saving Feature | Yes |
| Delayed Bake | Yes |
| Program Fahrenheit or Celsius | Yes |
| Silent Control Panel | Yes |

### Cooktop

| | |
|---|---|
| Cooking Surface Type | Gas |
| Grate Material | Cast Iron |
| Grate Quantity | 3 |
| Grate Style | Continuous |
| Sealed Burners | Yes |
| Total Number of Burners | 6 |

### Controls

| | |
|---|---|
| Control Lock | Yes |
| Sabbath Mode | Yes |

### Exterior

| | |
|---|---|
| Backlit Knobs | Yes |

### Electrical Specifications

| | |
|---|---|
| Minimum Circuit Required | 15 Amps |
| Voltage Rating | 120 V |

### General Specifications

| | |
|---|---|
| Frigidaire Fit Promise | Yes |
| Prop 65 Label | Yes |
| Warranty - Labor | 1 Year |
| Warranty - Parts | 1 Year |
| AB-1200 | Information available at frigidaire.com/en/ab1200 |

### Safety Certifications and Approvals

| | |
|---|---|
| CSA Listed | Yes |
| RoHS | Yes |

For planning purposes only. We reserve the right to change specifications or discontinue models without notice.
Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.ca
Electrolux Major Appliances, N.A.
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

| | |
|---|---|
| 36" Gas Range with Air Fry | 5513 |
| Available Products: GCFG3661AF | Available Colors: Stainless Steel |
| Version: 11/25 | |

## Oven

| | |
|---|---|
| Bake Element | 18000 BTU |
| Broil Element | 1400 Watts |
| Cleaning System | Yes |
| Convection | Yes |
| Convection Element | 1400 Watts |
| Convection Type | Total |
| Number of Convection Fans | 2 |
| Number of Rack Positions | 5 |
| Oven Interior Color | Midnight Black |
| Oven Light Quantity | 2 |
| Oven Light Type | Halogen |
| Oven Light Watts | 40 Watts |
| Rack Position Type | Ladder |
| Rack Type 1 | Flat |
| Rack Type 1 Quantity | 1 |
| Rack Type 2 | Glide |
| Rack Type 2 Quantity | 1 |
| Rack Type 3 | Air Fry Tray |
| Rack Type 3 Quantity | 1 |

## Cooktop Performance

| | |
|---|---|
| Right Front Element Burner | 18,000 / 1,200 BTU Dual |
| Right Rear Element Burner | 5,000 / 500 BTU |
| Left Front Element Burner | 18,000 / 1,200 BTU Dual |
| Left Rear Element Burner | 9,000 / 850 BTU |
| Center Front Element Burner | 16,000 / 2,000 BTU |
| Center Rear Element Burner | 16,000 / 2,000 BTU |

## Display

| | |
|---|---|
| Control Location | Front |
| Display Light Color | White |
| Display Type | Capacitive Touch |

## Dimensions and Volume

| | |
|---|---|
| Minimum Height | 35 3/4" |
| Maximum Height | 36 1/2" |
| Width | 35 7/8" |
| Depth | 25 7/8" |
| Depth With Door 90° Open | 43 3/8" |
| Depth With Handle | 27 5/8" |
| Oven Interior Height | 13 3/4" |
| Oven Interior Width | 30 5/8" |
| Oven Interior Depth | 16 7/8" |
| Oven Capacity | 4.6 Cu. Ft. |

## Installation

| | |
|---|---|
| Adjustable Leveling Legs | Yes |
| Included Power Cord Type | 3-Prong Plug |
| LP Conversion Kit Included | Yes |
| Plinth | Yes |
| Power Cord Included | Yes |
| Rear Ventilation Trim | Yes |

## Certifications and Approvals

| | |
|---|---|
| ADA Compliant | Yes |
| Star-K Certification | Yes |

For planning purposes only. We reserve the right to change specifications or discontinue models without notice.
Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.ca
Electrolux Major Appliances, N.A.
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

| | |
|---|---|
| 36" Gas Range with Air Fry | 5513 |
| Available Products: GCFG3661AF | Available Colors: Stainless Steel |
| Version: 11/25 | |

## Right to Repair Details

| | |
|---|---|
| Right to Repair | Partially Available - Visit frigidaire.ca/right-to-repair for more information |

For planning purposes only. We reserve the right to change specifications or discontinue models without notice.
Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.ca
Electrolux Major Appliances, N.A.
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

| | |
|---|---|
| 36" Gas Range with Air Fry | 5513 |
| Available Products: GCFG3661AF | Available Colors: Stainless Steel |
| Version: 11/25 | |

## Installation Diagram





**Figure 1: Product Dimensions**

| MODEL | **A**. HEIGHT | **B.** WIDTH | **C.** DEPTH TO FRONT OF RANGE | **D.** HEIGHT OF COOKTOP | **E.** DEPTH WITH DOOR OPEN |
|---|---|---|---|---|---|
| 36" | 37 7/8" (96.2 cm) Min.<br>38 5/8" (98.1 cm) Max. | 35 7/8" (91.1 cm) | 25 7/8" (65.7 cm) | 35 3/4" (90.8 cm) Min.<br>36 1/2" (92.7 cm) Max. | 43 3/8" (110.1 cm) |

### Cabinet Dimensions

**Clearances and Dimensions**

- Provide adequate clearances between the appliance and adjacent combustible surfaces.
- Location - Check location where the appliance will be installed. Check for proper electrical supply and floor stability.
- Dimensions shown must be used. Given dimensions provide minimum clearance. Contact surface must be solid and level.





**Figure 2: Cabinet Dimensions**

| MODEL | **F.** MINIMUM CUTOUT WIDTH | **G.** HEIGHT OF COUNTERTOP | **H.** CLEARANCE FROM SIDE WALLS [2] | **I.** CLEARNACE FROM COOKTOP AND CABINET BOTTOM [3] | **J.** CLEARANCE WIDTH OF OVERHEAD CABINETS |
|---|---|---|---|---|---|
| 36" | 36" (91.4 cm) | 36" (91.4 cm) Standard<br>35 3/4" (90.8 cm) Min. | 5" (12.7 cm) Min. | 36" (91.4 cm) Min. | 36" (91.4 cm) Min. |

**NOTES:**

1. Do not seal the range to the side cabinets.
2. Clearance from adjacent walls or other vertical surfaces or structures such as cabinets.
3. Measurements listed are minimum clearances between the cooktop and the bottom of the cabinet.
4. 0" clearance between range and cabinets or vertical surfaces that are below the cooktop height.
5. 0" clearance between range back and rear wall or cabinet.

*36" (914 mm) minimum clearance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet; or 30"(762 mm) minimum when bottom of wood- or metal cabinet is protected by not less than 1/4"(6mm) flame retardant millboard covered aith not less than no.28 MSG sheet steel, 0.015"(0.4mm) stainless steel, 0.024"(0.6mm) aluminum or 0.020"(0.5mm) copper. 0"(0mm) clearance is the minimum for the rear of the range.

Follow all dimension requirement provided above to prevent property damage, potential fire hazard, and incorrect countertop and cabinet cuts.

For planning purposes only. We reserve the right to change specifications or discontinue models without notice.
Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.ca
Electrolux Major Appliances, N.A.
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca