KFMC 3642 L
36" MasterCool bottom-mount unit
MasterFresh Pro | AirClean system | IceMaker | M Touch Pro | ColdSteel



- Food stays fresh for up to 5 times longer – MasterFresh Pro
- Up to 95% less odors – thanks to Longlife AirClean System
- Ice cubes for cold drinks – IceMaker
- Convenient operation at your fingertips – M Touch Pro
- Sophisticated interior design – ColdSteel

EAN: 4002516768715 / Material number: 12489490 /
Old Material Number: 38364210USA

| | |
|---|---|
| **General information** | |
| Model number | KFMC 3642 L |
| Manufacturer material number | 12489490 |
| EAN number | 4002516768715 |
| Marketing class | Platinum |
| **Appliance category** | |
| Fridge-freezer | • |
| **Design** | |
| Built-in | • |
| Built-in integrated | • |
| Door hinge side | Left |
| Convertible hinging | • |
| Can be installed side-by-side | • |
| **Design** | |
| Design option | Compatible with furniture fronts |
| Lighting | BrilliantLight |
| SmartLight | • |
| **User convenience** | |
| Networking with Miele@home | • |
| Freshness system | MasterFresh Pro + DailyFresh ExtraCool |
| Longlife AirClean System | • |
| DynaCool | • |
| NoFrost | • |
| DuplexCool Pro | • |
| SoftClose door closing damper | • |
| SelfClose | • |
| Number of IceMakers with plumbed water connection | 1 |
| IceMaker with mains water connection | • |
| FullAccess | • |
| EasyClean | • |
| MaxLoad hinge | • |
| **Smart Extras** | |
| Push notifications | • |
| Cooling tips | • |
| Cooling modes | • |
| IceMaker | • |
| **Smart Extras** | |
| RemoteUpdate | • |
| Smart Home Integration | • |
| **Control** | |
| Electronic temperature display and control | M Touch Pro |
| Precise adjustment | Fridge and freezer temperature |
| Independent temperature control of fridge and freezer compartments | • |
| SuperCool&AirClean | • |
| SuperFrost | • |

KFMC 3642 L
36" MasterCool bottom-mount unit
MasterFresh Pro | AirClean system | IceMaker | M Touch Pro | ColdSteel



EAN: 4002516768715 / Material number: 12489490 /
Old Material Number: 38364210USA

| | |
|---|---|
| No. of temperature zones | 3 |
| Sabbath mode | • |
| Holiday mode | • |
| Eco mode | • |
| QuickIce | • |
| **Fridge/fridge zone** | |
| Height-adjustable, full-width tempered glass shelves | 2 |
| Number of VeggieBoxes | 1 |
| No. of humidity-controlled compartments | 1 |
| Door rack for tins | 2 |
| Inner door racks for bottles | 1 |
| **Freezer/freezer zone** | |
| Number of freezer baskets | 3 |
| of which on telescopic rails | 2 |
| **Efficiency** | |
| Energy Star Qualified | • |
| **Safety** | |
| Spill-proof glass shelves | • |
| Acoustic door alarm | • |
| Acoustic temperature alarm, freezer section | • |
| **Technical data** | |
| Niche width in inches (mm), min. | 36 (914) |
| Niche width in inches (mm), max. | 36 (914) |
| Niche height in inches (mm), min. | 84 1/8 (2134) |
| Niche height in inches (mm), max. | 84 1/8 (2134) |
| Niche depth in in.(mm) | 25 (635) |
| Appliance width in in.(mm) | 35 1/4 (894) |
| Appliance height in in.(mm) | 83 5/8 (2123) |
| Appliance depth in in.(mm) | 23 7/8 (608) |
| Weight in lbs.(kg) | 483 (219.0) |
| Type of mounting | Fixed door |
| Maximum fridge compartment door front weight in lbs. (kg) | 133 (60) |
| Maximum freezer compartment door front weight in lbs. (kg) | 38 (17) |
| Fridge compartment volume in cu. ft. (l) | 13.31 (377) |
| 4-star freezer compartment volume in cu. ft. (l) | 6.89 (195) |
| Total usable capacity in cu. ft. (l) | 20.2 (572) |
| Current consumption in milliampere (mA) | 4000 |
| Voltage in V | 110 - 120 |
| Fuse rating in A | 10 |
| Number of phases | 1 |
| Frequency in Hz | 60 |
| Wire length in ft (m) | 9.8 (3.0) |
| Replacing bulbs | Customer Service |
| **Standard accessories** | |
| Longlife AirClean filter | • |
| Water filter | • |
| Ice scoop | • |


KFMC 3642 L
36" MasterCool bottom-mount unit
MasterFresh Pro | AirClean system | IceMaker | M Touch Pro | ColdSteel



EAN: 4002516768715 / Material number: 12489490 /
Old Material Number: 38364210USA


| Available display languages | |
|---|---|
| Available display languages via MultiLingua | □□□□□□□□, български, □□, □□□□, deutsch, dansk, english, english (AU), english (CA), english (GB), english (US), eesti, suomi, français, français (CA), français (FR), ελληνικά, italiano, □□□, Қазақ, □□□, hrvatski, latviesu, lietuviu, bahasa malaysia, nederlands, norsk, polski, português, română, русский, svenska, srpski, slovenčina, slovenščina, español, čeština, türkçe, українська, magyar |

# KFMC 3642 L
## 36" MasterCool bottom-mount unit
## MasterFresh Pro | AirClean system | IceMaker | M Touch Pro | ColdSteel





KFMC3642R, KFMC3642L, MasterCool III, stainless steel frame, with stainless steel front, installation

View from the front, 1. Mains connection cable, L = 3000 mm (118 inch), 2. Water connection L = 1800 mm (70 inch)





KFMC3642R, KFMC3842L, KFMC3844R, KFMC3844L, MasterCool III, installation, panel ready


Information for KFMC 3642 L + R (US/CD) only, View from the front, 1. Mains connection cable, L = 3000 mm (118 inch), 2. Water connection L = 1800 mm (70 inch), Information for KFMC 3844 L + R (EU) , 1. Mains connection cable, L = 3000 mm , 2. Water connection L = 1800 mm




KFMC3642R, KFMC3642L, MasterCool III, stainless steel frame, with stainless steel front, integration





KFMC3642R, KFMC3842L, KFMC3844R, KFMC3844L, MasterCool III, integration, panel ready





KFMC3642R, KFMC3842L, KFMC3844R, KFMC3844L, MasterCool III, front view


1. 47 kg / 103,6 lbs, 2. 14 kg / 30,8 lbs





KFMC3632R+L, KFMC3642R+L, KFMC3836R+L, KFMC3858FD, MasterCool III, frame neutral, installation




KFMC3632R+L, KFMC3642R+L, KFMC3836R+L, KFMC3834R+L, KFMC3858FD, MasterCool III, hinge clearance, installation





KFMC3632R+L, KFMC3642R+L, KFMC3836R+L, KFMC3834R+L, KFMC3858FD, MasterCool III, Side-view bottom, installation




KFMC3642R, KFMC3642L, MasterCool III, stainless steel frame, with stainless steel front, top view

KFMC 3642 L
36" MasterCool bottom-mount unit
MasterFresh Pro | AirClean system | IceMaker | M Touch Pro | ColdSteel




KFMC3642R, KFMC3642L, KFMC3844R,
KFMC3844L, MasterCool III, panel ready, top view