KFMC 3846 L
36" MasterCool bottom-mount unit
MasterFresh Pro | Cameras | AirClean system | Freeze&Cool | IceMaker



- Food stays fresh for up to 5 times longer – MasterFresh Pro
- -
- Up to 95% less odors – thanks to Longlife AirClean System
- Flexible use of storage space – Freeze&Cool
- Ice cubes for cold drinks – IceMaker

EAN: 4002516768654 / Material number: 12489410 /
Old Material Number: 38384610USA

General information	
Model number	KFMC 3846 L
Manufacturer material number	12489410
EAN number	4002516768654
Marketing class	Diamond
Appliance category	
Fridge-freezer	•
Design	
Built-in	•
Built-in integrated	•
Door hinge side	Left
Convertible hinging	•
Can be installed side-by-side	•
Design	
Design option	Compatible with furniture fronts
Lighting	BrilliantLight Pro
SmartLight	•
User convenience	
Networking with Miele@home	•
Cameras in the refrigerator	3
Freshness system	MasterFresh Pro
Longlife AirClean System	•
Freeze&Cool	•
DynaCool	•
NoFrost	•
DuplexCool Pro	•
SoftClose door closing damper	•
SelfClose	•
Number of IceMakers with plumbed water connection	1
IceMaker with mains water connection	•
Water dispenser	•
FullAccess	•
EasyClean	•
MaxLoad hinge	•
Smart Extras	
Push notifications	•
Cooling tips	•
Cooling modes	•
IceMaker	•
FoodView	•
Smart Extras	
RemoteUpdate	•
Smart Home Integration	•
Control	
Electronic temperature display and control	M Touch Pro
Precise adjustment	Fridge and freezer temperature

KFMC 3846 L
36" MasterCool bottom-mount unit
MasterFresh Pro | Cameras | AirClean system | Freeze&Cool | IceMaker



EAN: 4002516768654 / Material number: 12489410 /
Old Material Number: 38384610USA

Independent temperature control of fridge and freezer compartments	•
SuperCool&AirClean	•
SuperFrost	•
No. of temperature zones	3
Sabbath mode	•
Holiday mode	•
Eco mode	•
QuickIce	•
Fridge/fridge zone	
Height-adjustable, half-width tempered glass shelves	4
No. of humidity-controlled compartments	2
SlidingShelf	•
Door rack for tins	2
Inner door racks for bottles	1
of which gallon bins	1
Freezer/freezer zone	
Number of freezer baskets	2
Efficiency	
Energy Star Qualified	•
Safety	
Spill-proof glass shelves	•
Acoustic door alarm	•
Acoustic temperature alarm, freezer section	•
Technical data	
Niche width in inches (mm), min.	36 (914)
Niche width in inches (mm), max.	36 (914)
Niche height in inches (mm), min.	84 1/8 (2134)
Niche height in inches (mm), max.	84 1/8 (2134)
Niche depth in in.(mm)	25 (635)
Appliance width in in.(mm)	35 1/4 (894)
Appliance height in in.(mm)	83 5/8 (2123)
Appliance depth in in.(mm)	23 7/8 (608)
Weight in lbs.(kg)	488 (221.0)
Type of mounting	Fixed door
Maximum fridge compartment door front weight in lbs. (kg)	104 (47)
Fridge compartment volume in cu. ft. (l)	12.71 (360)
4-star freezer compartment volume in cu. ft. (l)	6.11 (173)
Total usable capacity in cu. ft. (l)	18.82 (533)
Current consumption in milliampere (mA)	4000
Voltage in V	110 - 120
Fuse rating in A	10
Number of phases	1
Frequency in Hz	60
Wire length in ft (m)	9.8 (3.0)
Replacing bulbs	Customer Service
Standard accessories	
Longlife AirClean filter	•
Water filter	•


KFMC 3846 L
36" MasterCool bottom-mount unit
MasterFresh Pro | Cameras | AirClean system | Freeze&Cool | IceMaker



EAN: 4002516768654 / Material number: 12489410 /
Old Material Number: 38384610USA


Ice scoop	•
Available display languages	
Available display languages via MultiLingua	□□□□□□□□, български, □□, □□□□, deutsch, dansk, english, english (AU), english (CA), english (GB), english (US), eesti, suomi, français, français (CA), français (FR), ελληνικά, italiano, □□□, Қазақ, □□□, hrvatski, latviesu, lietuviu, bahasa malaysia, nederlands, norsk, polski, português, română, русский, svenska, srpski, slovenčina, slovenščina, español, čeština, türkçe, українська, magyar

KFMC 3846 L
36" MasterCool bottom-mount unit
MasterFresh Pro | Cameras | AirClean system | Freeze&Cool | IceMaker




KFMC3846R, KFMC3846L, MasterCool III, PACS, with stainless steel front, installation (US)

View from the front, 1. Mains connection cable, L = 3000 mm (118 inch), 2. Water connection L = 1800 mm (70 inch)




KFMC3846R, KFMC3846L, MasterCool III, installation, panel ready (US)


View from the front, 1. Mains connection cable, L = 3000 mm (118 inch), 2. Water connection L = 1800 mm (70 inch)



KFMC3846R, KFMC3846L, MasterCool III, PACS, with stainless steel front, integration (US)




KFMC3846R, KFMC3846L, MasterCool III, integration, panel ready (US)




KFMC3846R, KFMC3846L, MasterCool III, front view, installation (US)


1. 47 kg / 103,6 lbs, 2. 55 kg / 121,2 lbs, 3. 30 kg / 66,1 lbs




KFMC3632R+L, KFMC3642R+L, KFMC3836R+L, KFMC3858FD, MasterCool III, frame neutral, installation



KFMC3632R+L, KFMC3642R+L, KFMC3836R+L, KFMC3834R+L, KFMC3858FD, MasterCool III, hinge clearance, installation




KFMC3632R+L, KFMC3642R+L, KFMC3836R+L, KFMC3834R+L, KFMC3858FD, MasterCool III, Side-view bottom, installation



KFMC3846R, KFMC3846L, MasterCool III, PACS, with stainless steel front, top view (US)

KFMC 3846 L
36" MasterCool bottom-mount unit
MasterFresh Pro | Cameras | AirClean system | Freeze&Cool | IceMaker



KFMC3846R, KFMC3846L, MasterCool III, panel ready, top view (US)