KFMC 3858 FD

42" MasterCool FrenchDoor bottom-mount unit

MasterFresh Pro | Cameras | AirClean system | Freeze&Cool | Dual IceMaker



- Food stays fresh for up to 5 times longer – MasterFresh Pro
- -
- Up to 95% less odors – thanks to Longlife AirClean System
- Flexible use of storage space – Freeze&Cool
- Different ice cubes – ideal for your drink – Dual IceMaker

EAN: 4002516768678 / Material number: 12489440 /
Old Material Number: 38385820USA

General information	
Model number	KFMC 3858 FD
Manufacturer material number	12489440
EAN number	4002516768678
Marketing class	Diamond
Appliance category	
Fridge-freezer	•
Design	
Built-in	•
Built-in integrated	•
Door hinge side	Left and right
Can be installed side-by-side	•
Design	
Design option	Compatible with furniture fronts
Lighting	BrilliantLight Pro
SmartLight	•
User convenience	
Networking with Miele@home	•
Cameras in the refrigerator	4
Freshness system	MasterFresh Pro
Longlife AirClean System	•
Freeze&Cool	•
DynaCool	•
NoFrost	•
DuplexCool Pro	•
SoftClose door closing damper	•
SelfClose	•
Number of IceMakers with plumbed water connection	2
IceMaker with mains water connection	•
Water dispenser	•
FullAccess	•
EasyClean	•
MaxLoad hinge	•
Smart Extras	
Push notifications	•
Cooling tips	•
Cooling modes	•
IceMaker	•
FoodView	•
Smart Extras	
RemoteUpdate	•
Smart Home Integration	•
Control	
Electronic temperature display and control	M Touch Pro
Precise adjustment	Fridge and freezer temperature

KFMC 3858 FD
42" MasterCool FrenchDoor bottom-mount unit
MasterFresh Pro | Cameras | AirClean system | Freeze&Cool | Dual IceMaker



EAN: 4002516768678 / Material number: 12489440 /
Old Material Number: 38385820USA

Independent temperature control of fridge and freezer compartments	•
SuperCool&AirClean	•
SuperFrost	•
No. of temperature zones	3
Sabbath mode	•
Holiday mode	•
Eco mode	•
QuickIce	•
Fridge/fridge zone	
Height-adjustable, half-width tempered glass shelves	4
No. of humidity-controlled compartments	2
SlidingShelf	•
Door rack for tins	4
Inner door racks for bottles	2
of which gallon bins	2
Freezer/freezer zone	
Number of freezer baskets	2
Efficiency	
Energy Star Qualified	•
Safety	
Spill-proof glass shelves	•
Acoustic door alarm	•
Acoustic temperature alarm, freezer section	•
Technical data	
Niche width in inches (mm), min.	42 1/8 (1067)
Niche width in inches (mm), max.	42 1/8 (1067)
Niche height in inches (mm), min.	84 1/8 (2134)
Niche height in inches (mm), max.	84 1/8 (2134)
Niche depth in in.(mm)	25 (635)
Appliance width in in.(mm)	41 1/4 (1048)
Appliance height in in.(mm)	83 5/8 (2125)
Appliance depth in in.(mm)	23 7/8 (608)
Weight in lbs.(kg)	563 (255.0)
Type of mounting	Fixed door
Maximum fridge compartment door front weight in lbs. (kg)	126 (57)
Fridge compartment volume in cu. ft. (l)	15.29 (433)
4-star freezer compartment volume in cu. ft. (l)	7.8 (221)
Total usable capacity in cu. ft. (l)	23.1 (654)
Current consumption in milliampere (mA)	4000
Voltage in V	110 - 120
Fuse rating in A	10
Number of phases	1
Frequency in Hz	60
Wire length in ft (m)	9.8 (3.0)
Replacing bulbs	Customer Service
Standard accessories	
Longlife AirClean filter	•
Water filter	•

KFMC 3858 FD
42" MasterCool FrenchDoor bottom-mount unit
MasterFresh Pro | Cameras | AirClean system | Freeze&Cool | Dual IceMaker




EAN: 4002516768678 / Material number: 12489440 /
Old Material Number: 38385820USA

Ice scoop	•
Available display languages	
Available display languages via MultiLingua	□□□□□□□□, български, □□, □□□□, deutsch, dansk, english, english (AU), english (CA), english (GB), english (US), eesti, suomi, français, français (CA), français (FR), ελληνικά, italiano, □□□, Қазақ, □□□, hrvatski, latviesu, lietuviu, bahasa malaysia, nederlands, norsk, polski, português, română, русский, svenska, srpski, slovenčina, slovenščina, español, čeština, türkçe, українська, magyar

KFMC 3858 FD


42" MasterCool FrenchDoor bottom-mount unit

MasterFresh Pro | Cameras | AirClean system | Freeze&Cool | Dual IceMaker




KFMC3858FD, MasterCool III, PACS, with stainless steel front, installation (US)

View from the front, 1. Mains connection cable, L = 3000 mm (118 inch), 2. Water connection L = 1800 mm (70 inch)




KFMC3858FD, MasterCool III, installation, panel ready (US)


View from the front , 1. Mains connection cable, L = 3000 mm (118 inch), 2. Water connection L = 1800 mm (70 inch)



KFMC3858FD, MasterCool III, PACS, with stainless steel front, integration (US)




KFMC3858FD, MasterCool III, integration, panel ready (US)




KFMC3858FD, MasterCool III, front view (US)


1. 57 kg / 125,6 lbs, 2. 44 kg / 97,0 lbs, 3. 20 kg / 44,0 lbs




KFMC3632R+L, KFMC3642R+L, KFMC3836R+L, KFMC3858FD, MasterCool III, frame neutral, installation



KFMC3632R+L, KFMC3642R+L, KFMC3836R+L, KFMC3834R+L, KFMC3858FD, MasterCool III, hinge clearance, installation



KFMC3632R+L, KFMC3642R+L, KFMC3836R+L, KFMC3834R+L, KFMC3858FD, MasterCool III, Side-view bottom, installation




KFMC3858FD, MasterCool III, PACS, with stainless steel front, top view (US)

KFMC 3858 FD

42" MasterCool FrenchDoor bottom-mount unit

MasterFresh Pro | Cameras | AirClean system | Freeze&Cool | Dual IceMaker



KFMC3858FD, MasterCool III, top view, panel ready (US)