VIKING
SIMPLY ICONIC

VEIL™ INTEGRATED REFRIGERATION

INTRODUCING **ALL-NEW** INTEGRATED REFRIGERATION

VEIL™ **FRENCH-DOOR** BOTTOM-FREEZERS



36”W. FRENCH-DOOR BOTTOM-FREEZER
INTEGRATED CUSTOM PANEL
FDFBIC7360F **$11,999**

42”W. FRENCH-DOOR BOTTOM-FREEZER
INTEGRATED CUSTOM PANEL
FDFBIC7420F **$13,599**

48”W. FRENCH-DOOR BOTTOM-FREEZER
INTEGRATED CUSTOM PANEL
FDFBIC7480F **$14,999**

VIKING®

VEIL™ INTEGRATED REFRIGERATION



INTEGRATION WITHOUT COMPROMISE

The patented **Double Pivot Hinge** delivers exceptional installation flexibility for a truly integrated look. Designed for installations with reveals as narrow as 1/ 8”, resulting in a clean, streamlined kitchen aesthetic that combines sophisticated design with everyday functionality. Doors open inward, providing hinge-to- hinge installation flexibility and easy access—even in tighter spaces.

SUPERIOR FOOD PRESERVATION

Lateral Cooling Technology promotes even air circulation and consistent temperatures throughout every compartment. By helping maintain optimal conditions, it preserves freshness, protects flavor, and reduces spoilage—from delicate leafy greens to premium cuts of meat.

INTELLIGENT DESIGN. EFFORTLESS CONTROL.

The **Full-Color Smart Touch TFT Display** makes settings and features easy to navigate with clear visuals and intuitive controls. **Stainless Steel Back Wall** construction adds lasting durability and a refined, premium finish.

Energy-efficient **LED lighting** illuminates the top and sides of the interior, improving visibility while reducing energy use. Repositionable shelves and door bins adjust easily to accommodate changing storage needs—keeping everything organized and accessible.

EVERYDAY HYDRATION ELEVATED

Every unit includes an integrated **internal water dispenser** and advanced water filtration system, delivering clean, filtered water and better-tasting ice directly from the refrigerator. Easily switching between **medium and large ice cubes** provides a valuable level of customization. Whether it’s the perfect ice for a cocktail or a larger cube to keep a drink cold longer, the choice is yours.

FILTER-FREE FRESHNESS

Exclusive to Viking Integrated Refrigerators, the **PlasmaCluster™ Ion Air Purifier** utilizes advanced ion technology to eliminate airborne bacteria, mold, and odors to enhance food preservation–keeping food fresher, longer.

PERFORMANCE THAT ADAPTS TO YOU

A dedicated **Low Temperature Zone** operates 2°–3°F colder than the rest of the refrigerator, creating ideal conditions for meat, seafood, and other temperature- sensitive foods. **Antibacterial Stainless Steel Drawers** are bead blasted for added resistance to bacteria and germs, helping maintain a cleaner storage environment.

In the freezer, **Triple Mode Convertible Drawer** shift between Refrigerator, Extend Fresh, and Freezer settings with a simple touch on the Smart Color Display. Store more of what you need, exactly where and when you need it.

FLEXIBLE STORAGE, PRECISELY POSITIONED

Shelves and door bins can be repositioned vertically along step-guided rail systems without removing them from the rails. They can be adjusted easily and precisely to accommodate items of different sizes, while keeping the shelves stable and secure.

CONFIDENCE BUILT IN

Viking Refrigeration is engineered for lasting performance and backed by comprehensive warranty protection—giving you greater peace of mind from day one through years of ownership.

- **Two Year Full Warranty** *(Parts and Labor)*
- **Six Year Full Warranty** - Refrigeration Sealed System *(Parts and Labor)*
- **Twelve Year Limited Warranty** Refrigeration Sealed System *(Parts Only)*


CHOOSE YOUR LOOK

Viking Veil™ French-Door Bottom-Freezer Refrigerators are shipped panel-ready, giving you the flexibility to create the look that fits your kitchen.

An Accessory Door Panel Kit may be purchased from Viking, or custom panels may be locally sourced and installed. Accessory Door Panel Kits are available in Professional—offered in stainless steel or 18 designer-curated colors—and Viking RVL styles and include coordinating panels and handles for both the refrigerator and freezer doors.

MODEL	DESCRIPTION	PRICING
VEIL INTEGRATED FRENCH-DOOR BOTTOM-FREEZERS		UMRP
FDFBIC7360F	36"W. Veil French-Door Refrigeration	$11,999
FDFBIC7420F	42”W. Veil French-Door Refrigeration	$13,599
FDFBIC7480F	48”W. Veil French-Door Refrigeration	$14,999









PROFESSIONAL FRENCH-DOOR PANEL KITS		SS	ECF*
VI7364FDP** (add finish)	36"W. Viking Professional French-Door Panel Kit	$1,599	$3,399
VI7424FDP** (add finish)	42”W. Viking Professional French-Door Panel Kit	$1,799	$3,599
VI7484FDP** (add finish)	48”W. Viking Professional French-Door Panel Kit	$1,999	$3,799

****2 DIGIT COLOR CODE:** Stainless Steel (**SS**), Antique Bronze (**AN**), Blush (**BH**), Cast Black (**CS**), Damascus Gray (**DG**), Eucalyptus (**EU**), Ivy (**IV**), Martini (**MA**), November Sky (**NS**), Slate Blue (**SB**), Spiced Cider (**SC**), Splash (**SP**), Daffodil (**DA**), Golden Hour (**GH**), Nantucket (**NA**), Onyx (**ON**), Pure White (**PW**), Squall (**SQ**), Valentine (**VA**)

RVL FRENCH-DOOR PANEL KITS		UMRP
MVI6364FDPSS	36"W. Viking RVL French-Door Panel Kit – Stainless Steel	$1,599
MVI6424FDPSS	42”W. Viking RVL French-Door Panel Kit – Stainless Steel	$1,799
MVI6484FDPSS	48”W. Viking RVL French-Door Panel Kit – Stainless Steel	$1,999

CUTOUT DIMENSIONS

Minimum cutout height:
84” (213.4 cm)

Cutout width:
36” model: 36” (91.4 cm)


42” model: 42” (106.7 cm)


48” model: 48” (121.9 cm)

Minimum cutout depth:
25” (63.5 cm) Refrigerator will be fully flush with a typical panel thickness of ¾” (1.9 cm). Recess depth depends on kitchen design and panel thickness.

Area to be left clear for the anti-tipping brackets:
5 1/2” (14 cm) for both right and left sides

Appliance height:
83 ½” (212 cm) +
1” (2.5 cm)






Door Swing Clearance
36” model: 40 1/2” (103 cm)
42” model: 43 1/2” (110.5 cm)
48” model: 46 1/2” (118 cm)


Minimum distance from the wall (hinge side)
36” model: 3 1/4” (8.2 cm)
42” model: 3 3/4” (9.5 cm)
48” model: 4 1/4” (10.8 cm)


CUSTOM PANEL DIMENSIONS



WIDTH	DOOR WIDTH A	DOOR WIDTH B
36”	35 3/4” (908)	17 3/4” (452)
42”	41 3/4” (1061)	20 3/4” 528.5)
48”	47 3/4” (1213)	23 3/4” (604.5)

OVERHEAD VIEW





Electrical or water connections located directly behind the appliance must be recessed. Do not put the water shut-off valve directly behind the appliance. It should be in an accessible location.