24" Recessed Handle Dishwasher



100 Series - Stainless Steel SHE2ADF5N





SHE2ADF5N Stainless Steel

Also available in:

White SHE2ADF2N Black SHE2ADF6N

Bosch Dishwashers are engineered to the highest standards, passing 485 stringent quality checks resulting in exceptional workmanship and reliable performance.

Features & Benefits

52 dBA: Quietest dishwasher brand in North America.¹

Home Connect® lets you monitor and control your appliance remotely, via the Home Connect® app.

24/7 Overflow Protection System® helps prevent water leaks, even when your dishwasher is off.

The Favorite button allows you to easily access your preferred cycle/option combination with 1 touch.

Conoral Proportios	
General Properties	5 (1)
Wash cycles (control panel)	5 (Heavy, Auto, Normal, Speed60 (1hr Wash), Favorite)
Additional wash cycles (in Home Connect®)	3 (Delicate, Rinse, MachineCare)
Options (control panel)	3 (Sanitize, Remote Start, Eco)
Additional options (in Home Connect®)	2 (Half Load, Fast Forward)
dBA	52
Wash system	PrecisionWash®
Drying system	PureDry®
Third rack	No
Rack adjustability	None
Tub material	Stainless steel with Polinox base
Concealed water heating element	Yes
Leak protection system	24/7 Overflow Protection
NSF®-certified² sanitize option	Yes
Water softener	No
Five-level wash	Yes
Child Lock button suspension	Yes
Home Connect° (Wi-Fi enabled)	Yes
Anti-Fingerprint Finish	Yes
Special feature	Eco Option
Efficiency	
Water usage per cycle	3.5 gal
ENERGY STAR® Certified	No
Total annual energy	269 kWh
consumption	
consumption Capacity	

Technical Details	
Watts	1440 W
Current	12 Amps
Volts	120 V
Frequency	60 Hz
Power cord full length	67"
Power cord install length from edge of unit when facing the door	Left – 45" Right – 50"
Minimum water pressure	14 lb/sin
Length outlet hose	90 1/2"
Dimensions & Weight	
Overall appliance dimensions (HxWxD)	33 7/8" x 23 9/16" x 22 9/16"
Required cutout size (HxWxD)	33 7/8" x 24" x 24"
Adjustable feet	Yes
Net weight	59 lbs
Accessories—Optional	
Supply Hose Kit with Elbow	SMZSH1ABUC
Junction Box	SMZPCJB1UC
Junction box & Water Supply Hose Kit	SMZ3IN1UC
Dishwasher Drain Hose Extension	SGZ1010UC
Edge Protector + Power Cord Clip Install Kit	SMZEPCC1UC





Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

¹Based on an average of sound ratings of 24" Full Size Stainless Steel Tub dishwashers contained in major brands US & Canadian websites. Major brands defined as TraQline Top 5 Market Share (US & Canada) December 2021.

²Certification to NSF/ANSI Standard 184 for residential dishwashers.


24" Recessed Handle Dishwasher





100 Series - Stainless Steel SHE2ADF5N





Installation Details











Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


24" Recessed Handle Dishwasher




100 Series - Stainless Steel SHE2ADF5N



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is $90\,^{1}/^{2}$ " (230 cm) and can be extended to a maximum of $168\,^{1}/^{2}$ " (428 cm).

Always use the approved drain hose extension kit (SGZ1010UC). $\label{eq:constraint} % \begin{subarray}{ll} \end{subarray} % \begin{subarray}{ll$

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.