



Front Load Perfect Steam™ Gas Dryer with Instant Refresh – 8.0 Cu. Ft.

Dryer

Available Products: ELFG7437AG, ELFG7437AT, ELFG7437AW

Available Colors: Glacier Blue, Titanium, White

Version: 08/25

## **Product Specifications**

| Dryer   |               | Dryer Cycles                     |           |
|---|---------------|----------------------------------|-----------|
| Air Flow  | 200 CFM       | Cycle Count                      | 7         |
| Drum Back Type                                  | Painted Steel | Bulky                            | Yes       |
| Drum Material                                   | Painted Steel | Delicates                        | Yes       |
| Dryness Level Selections                        | Yes           | Fast Dry                         | Yes       |
| Heating Element                                 | 20000 BTU     | Heavy Duty                       | Yes       |
| Lint Filter                                     | Yes           | Instant Refresh                  | Yes       |
| Moisture Sensor                                 | Yes           | Normal                           | Yes       |
|   |               | Timed Dry Time                   | Yes       |
| Dryer Options                                   |               |                                  |           |
| Delay Start Time                                | 1-12 Hours    | Drying Temperatures              |           |
| Dry Boost                                       | Yes           | Low                              | Yes       |
| Extended Tumble                                 | Yes           | Normal                           | Yes       |
| Perfect Steam                                   | Yes           | High                             | Yes       |
| Wrinkle Release                                 | Yes           | Sanitize                         | Yes       |
|   |               | Eco Dry                          | Yes       |
| Dryness Level                                   |               |                                  |           |
| Max   | Yes           | Controls                         |           |
| High  | Yes           | Cancel                           | Yes       |
| Normal  | Yes           | Control Lock                     | Yes       |
| Low   | Yes           | Cycle Status Lights              | Yes       |
| Damp  | Yes           | Delay Start                      | Yes       |
| - Junip   |               | Estimated Time Remaining         | Yes       |
| Exterior  |               | Pause Function                   | Yes       |
| Door Latch                                      | Yes           | Power On/Off                     | Yes       |
| Reversible Door                                 | Yes           | Start                            | Yes       |
|   |               |                                  |           |
| <b>Electrical Specifications</b>                |               | <b>Dimensions and Volume</b>     |           |
| Minimum Circuit Required                        | 15 Amps       | Height                           | 38"       |
| Voltage Rating                                  | 120 V         | Width                            | 27"       |
| voluge ruting                                   | 120 1         | Depth                            | 32"       |
| Installation                                    |               | Depth With Door 90° Open         | 53 1/2"   |
| Optional Pedestal                               | Yes           | Dryer Drum Capacity              | 8 Cu. Ft. |
| Power Cord Included                             | Yes           | Dry Linen Capacity Tested Amount | 11.5 kg   |
| Ventilation Type                                | Vented        |                                  |           |
| ventuation Type                                 | venteu        | Energy Data                      |           |
|   |               | Combined Energy Factor (CEF)     | 3.48      |
| <b>Performance Certifications and Approvals</b> | 37            | kWh/cycle                        | 2.5 kWh   |
| ENERGY STAR Certified                           | Yes           | kWh/year                         | 710 kWh   |

| Front Load Perfect Steam™ Gas Dryer with Instant Refresh – | 5476  |        |  |
|--|---|--------|--|
| 8.0 Cu. Ft.  | 54/6  |        |  |
| Available Products: ELFG7437AG, ELFG7437AT,                | Available Colors: Glacier Blue, Titanium, White |        |  |
| ELFG7437AW   |   |        |  |
| Version: 08/25   |   |        |  |
|  | General Specifications                          |        |  |
|  | Chime On / Chime Off                            | Yes    |  |
|  | Leveling Legs                                   | Yes    |  |
|  | Prop 65 Label                                   | Yes    |  |
|  | Warranty - Labor                                | 1 Year |  |
|  |   |        |  |

Warranty - Parts

UL Listed

**Safety Certifications and Approvals** 

1 Year

Yes

8.0 Cu. Ft.

Available Products: ELFG7437AG, ELFG7437AT,


ELFG7437AW

Available Colors: Glacier Blue, Titanium, White

Version: 08/25

## **Installation Diagram**

## **Dryer dimensions**



- \* Connection of water inlet hose on steam dryer adds 3/4 in. (2 cm) to installation depth.
- Power supply cord length on gas dryer or electric Canadian dryer approximately 60 inches (152.5 cm).
- <sup>2</sup> Drain hose length on washer approximately 59 inches (150 cm).
- <sup>3</sup> Power supply cord length on washer approximately 60 inches (152.5 cm).