

hoods • slide-in ranges • drop-in ranges • cooktops • merchandising 2003 • warming drawers • venting kits • telescopic down

GE Profile™ and GE® Range Accessory Guide

The maximum in cooking performance and versatility.

imagination at work 

Slide-In and Drop-In Ranges



Backguard kits – smooth-top ranges

Designed for slide-in models when replacing a free-standing range, this kit is used when the countertop is cut all the way to the wall.

30" Profile™ Slide-in and Drop-in ranges

(Models: JS998, JS968, JSP47, JD968, JDP47, JGSP48, JGS968, J2S968)

JXS37WW—White

JXS37CC—Bisque

JXS37BB—Black/Stainless steel



Backguard kits – smooth-top ranges

Designed for slide-in models when replacing a free-standing range, this kit is used when the countertop is cut all the way to the wall.

30" Profile Slide-in and Drop-in ranges

(Models: JS998, JS968, JSP47, JD968, JDP47, JGSP48, JGS968, J2S968)

JXS39SS—Stainless steel

JXS36WW—White

JXS36CC—Bisque

JXS36BB—Black



Backguard kits – coil and gas ranges

Contains reversible end caps, screws and installation instructions for an easy custom built-in appearance.

30" Electric coil Slide-in and Drop-in and gas Slide-in ranges (Models: JSP34, JSP26, JSS26, JSS16, JGSP23)

JXS31—White

JXS35—Bisque


JXS34—Black

27" Electric Drop-in ranges

(Models: JMP31, JMP28, JMS08)

JX27RWH—White

JX27RBK—Black



Maintop rear filler strip kit

The strip kit fills in the gap at the rear of the range for a more flush custom appearance. Kit color should match color of range, not color of cooktop.

Note: Gas sealed burner model JGSP23 is shipped with a "vented" rear filler trim kit.

30" Profile Slide-in and Drop-in ranges (Models: JS998*, JS968*, JSP47*, JD968, JDP47, JGSP48, JGS968, J2S968)

JXS66WW—White***

JXS66CC—Bisque***

JXS66BB—Black***

30" Electric coil Slide-in and Drop-in ranges** (Models: JSP34, JSP26, JSS26, JSS16)

JXS63WW—White

JXS65CC—Bisque

JXS62BB—Black



End cap kit

Used when installing slide-in range models into a countertop that has been previously notched for front end caps. The standard flush front end caps on the range can be replaced with the notched end caps in the kit. The kit contains right and left end caps and installation instructions.

30" Electric coil Slide-in and gas Slide-in ranges (Models: JSP34, JSP26, JSS26, JSS16, JGSP23)
JXS40—Chrome

Range has been pulled away from countertop in photo to better illustrate end cap installation.



Body side kit

These side panels are used when one side of the slide-in range is exposed. Kit contains one body side and installation instructions. For free-standing application, two kits are needed. Total installed range width would be 31-1/4" when two side panel kits are used.

30" Profile Slide-in ranges (Models: JS998, JS968, JSP47, JGSP48, JGS968, J2S968)

JXS76WW—White

JXS76CC—Bisque

JXS76BB—Black



Lower trim kit – slide-in ranges

Color-matched toe-kick is designed to be used when the range needs to be raised to the highest position to accommodate thick countertop material such as tile or granite. Kit also includes extended leveling legs and instructions. Use kit when countertop height is 36-1/2" to 38" high.

All 30" electric and gas Slide-in ranges

JXS56WW—White

JXS56CC—Bisque

JXS56BB—Black



*Shipped with range.

**Kit contains three widths of filler strips, clips, screws and installation instructions.

***Not required if countertop is cut as specified in installation instructions.

Cooktops

Optional modules for electric modular cooktop

■ Customize your cooktop to suit your taste and convenience.

30" Dual modular and single modular (Model JP389 is shipped without any modules)



Grill Module
JXDL44N



Griddle Module
JXDD44R (use with
optional grill)



Grill Cover
JXDM3—White
JXDM2—Black



Ribbon Module
JXDR50VW—White
JXDR50VB—Black



Coil Module
JXDC44RWH—White
JXDC43RBL—Black

Optional modules for gas modular cooktop

■ Choose optional modules that are tailored to your needs.

30" Single modular (Model: JGP979)



Gas Grill Module
JXGG79



Gas Griddle Module
JXGL79 (use with
optional grill)



Gas Grill Cover
JXGC89W—White
JXGC89B—Black



Two-Burner Gas Module
JXGB79W—White
JXGB79B—Black

Cooktop Accessory

JXCK89

Optional accessory kit for JP389 downdraft cooktop, includes junction box and conduit



Cooktop filler trim kit

- When replacing older* GE 30" electric cooktop models with a newer GE electric cooktop, use this one-piece trim to fill in oversize hole left by older cooktop. Kit contains one-piece trim and installation instructions.

30" Electric CleanDesign cooktop
(Models: JP939, JP931, JP930, JP350, JP340, JP328)

JXTR31W—True white
JXTR31C—True bisque
JXTR31B—Black (use with black glass cooktops with a white, bisque or black pattern)

*Before 1991



Flush mount trim kit

- For installation of a cooktop flush or recessed into the countertop. Kit contains template, instructions, reflective foil and color-matched sealant.

36" and 30" Electric CleanDesign cooktop
(Models: JP969, JP961, JP960, JP939, JP931, JP930, JP350, JP340)

JXFLMTW—True white
JXFLMCC—True bisque
JXFLMBB—Black (use with black glass cooktops with a white, bisque or black pattern)

Not for use with stainless models. Photo shows "flush" installation.
When installed, no part of the kit is visible except the color-matched sealant.



Special offset adapter

- For rear wall venting installations on gas and electric downdraft cooktops when transitioning from a rectangular to a round duct.

30" Electric and gas downdraft cooktop
(Models: JP989, JGP989)
JXRW89

Ventilation



Chimney cover – designer hoods

- Covers exposed duct work running from the hood to ceilings greater than 8'. Fits both 30" and 36" models.

30" and 36" designer hoods

(Models: JV966, JV936)

JCCHSS—Stainless steel



Commercial baffle filter kit – designer hoods

- Heavy-duty commercial style filters can be used in place of household filters shipped with the designer hood.

30" and 36" designer hoods

(Models: JV966, JV936)

JXBF36SS—36"

JXBF30SS—30"



Duct transition kit – designer hoods

- For designer hoods, 7" round duct to 3-1/4" x 10" rectangular duct transition for rear wall discharge.

30" and 36" designer hoods

(Models: JV966, JV936)

JXDW1



Optional damper accessory

- Allows a deluxe and standard hood to fit a standard 7" round duct.

High-performance and performance hoods

(Models: JV666, JV665, JV636, JV635, JV566, JV536, JV565, JV535)

Deluxe hoods (Models: JV367, JV347, JV338)

JXDA22



Outdoor remote installation kit – telescopic downdraft system

- Allows the blower motor to be mounted remotely to an outside wall with a protective weather cover. Blower motor is mounted inside the weather cover and the blower does not take up space inside kitchen cabinet. This ensures noise and vibration are not present inside the kitchen. Kit includes: Damper, junction box, blower mounting, weather cover and mounting hardware. For use with JVB98, JVB94, JVB67H and JVB37H.

JXBC67



Indoor remote installation kit – telescopic downdraft system

- Allows the blower motor to be installed remotely indoors. For use with JVB98, JVB94, JVB67H and JVB37H.

JXRB67



Cord kit – hoods

- Allows range hoods to be installed with a plug and receptacle instead of being “hard-wired”. This is ideal when the builder or homeowner wants to upgrade to an Over-the-Range (OTR) Spacemaker® microwave hood. By using this optional installation method and a separate 15 amp circuit, there is no need to have an electrician return to the home/job site when an OTR is installed.

JXHC1

Ventilation Accessories

WB02X11012	Removable grease filter – 36" High-performance hoods – JV666H, JV665H
WB02X11012	Removable grease filter – 36" Performance hoods – JV566H, JV565H
WB02X11001	Removable charcoal filter – 36" Performance hoods – JV566H, JV565H
WB02X11011	Removable grease filter – 30" High-performance hoods – JV636H, JV635H
WB02X11011	Removable grease filter – 30" Performance hoods – JV536H, JV535H
WB02X11000	Removable charcoal filter – 30" Performance hoods – JV536H, JV535H
WB02X9381	Removable grease filter – 30" Standard/deluxe hoods – JV367, JV347, JV338, JN327
WB02X10700	Removable charcoal filter – 30" Standard/deluxe hoods – JV367, JV347, JV338, JN327

Microwave Oven Trim Kits



Deluxe Built-In Trim Kit for 2.1 cu. ft. Microwave Ovens

- Trim kits allow installation of the 2.1 countertop microwave oven in a wall or cabinet alone, or over a GE Profile™ 27" or 30" single electric wall oven.

30" Deluxe Trim Kits for Models JE2160
JX2130SH—Stainless Steel, JX2130WH—White
JX2130CH—Bisque, JX2130BH—Black

27" Deluxe Trim Kits for Models JE2160
JX2127SH—Stainless Steel, JX2127WH—White
JX2127CH—Bisque, JX2127BH—Black



Deluxe Built-In Trim Kit for 1.8 cu. ft. Microwave Ovens

- Trim kits allow installation of the 1.8 countertop microwave oven in a wall or cabinet alone, or over a GE® 27" or 30" single electric wall oven as shown.

30" Deluxe Trim Kits for Models JE1860
JX1830SB—Stainless Steel, JX1830WB—White
JX1830CB—Bisque, JX1830BB—Black

27" Deluxe Trim Kits for Models JE1860
JX1827SB—Stainless Steel, JX1827WB—White
JX1827CB—Bisque, JX1827BB—Black



Deluxe Trim Kits for 1.5 cu. ft. GE Profile Microwave Ovens

- Built-in trim kits allow installation in a wall or cabinet alone, or over a GE 30" or 27" single electric wall oven. Use a convection wall oven under these convection microwave ovens for a complete convection cooking center.

30" Deluxe Trim Kits for Model JE1590
JX1530CSH—Stainless, JX1530CWH—White
JX1530CCH—Bisque, JX1530CBH—Black

27" Deluxe Trim Kits for Model JE1590
JX1527CSH—Stainless, JX1527CWH—White
JX1527CCH—Bisque, JX1527CBH—Black

Available January 2004.



Built-In Trim Kit for 1.0 cu. ft. Microwave Ovens

- For a custom built-in appearance, this kit allows built-in installation of the Spacemaker® II microwave oven into a wall or cabinet alone.

Trim Kits for Models JEM31 and JEM25
JX827SS—Stainless Steel, JX827WN—White
JX827CD—Bisque, JX827BN—Black



Hanging Kit for .6, .7 and 1.0 cu. ft. Microwave Ovens

- This hanging kit allows installation under a cabinet, freeing up valuable counter space. A mounting template provides all the necessary measurements for installation on practically any wood or metal cabinet.

Hanging Kit for Models JE620, JE740, JEM25, JEM31
Pub. No. 4-A019

Demonstration cord kits



Trivection™ wall ovens and slide-in ranges

- For use with 30" single/double wall ovens and slide-in ranges with Trivection™ technology. Provides power to the Chef's Guide controls, convection fan, and lights, but will not energize heating elements. Kit contains one cord, wire nuts, electrical tape and instructions.

Pub. No. 3-A063 Trivection wall ovens

Pub. No. 3-A073 Trivection slide-in range



JB988 free-standing electric range

- For use with 30" free-standing electric range model JB988 with the Precise Digital Control System.™ Provides power to the controls, convection fan, and lights, but will not energize heating elements. Kit contains one cord and instructions.

Pub. No. 3-A003



Electronic cooktops

- Provides power to all controls, but will not energize heating elements. Kit contains one cord, wire nuts, electrical tape and instructions. For use with JP969 and JP939 only.

Pub. No. 3-A050



Built-in wall ovens and drop-in ranges

- For use with 30", 27" and 24" single/double wall ovens and drop-in ranges with electronic controls. Provides power to the controls, convection fan, and lights, but will not energize heating elements. Kit contains one cord, wire nuts, electrical tape and instructions.

Pub. No. 3-A011



Free-standing and slide-in electric ranges

- For use with 30" free-standing electric and slide-in electric ranges with electronic controls. Provides power to the controls, convection fan, and lights, but will not energize heating elements. Kit contains one cord and instructions.

Pub. No. 3-A029

Miscellaneous



Wok holder

- Made of black porcelain cast iron, this accessory sits on the grate of the maximum output burner to hold a traditional round-bottom wok. Wok is *not* included.

(Models: JGP960, JGP930, JGP636, JGP336, J2S968, JGS968, JGSP48)

JXWK

(Models: JGP963, JGP962, JGP933 and JGP932)

JXWK2



Accessory pan kit

- For use with 30" and 27" warming drawers. Set includes two commercial pans that are 4" deep. Each pan includes a stainless steel lid.

(Models: JTD915, JKD915)

JXPN2



Custom panel kit

- Custom panel kit allows for the installation of a custom panel on the warming drawer to give a built-in appearance.

ZXD30B 30" Warming drawers

(Model: JTD915)

ZXD27B 27" Warming drawers

(Model: JKD915)



Gas range drip pans

- Optional accessories for standard burner and sealed burner gas ranges

(Models: JGBC20, JGBS20, JGBS17, JGBS07, JGBS04)


WB35K10001—Black
WB35K10002—Chrome

(Model: JGBP24)

WB34K10010—Left Black
WB34K10020—Right Black
WB34K10012—Left Chrome
WB34K10040—Right Chrome

(Model: JGBP28)

WB32K10009—Left Black
WB32K10001—Right Black



Anti-tip brackets

Electric range

- For use with free-standing electric ranges.


(Models: JB988/968/905, JBP84/82/80/69/68/66/64/60/48/35/30/26/24/21, JBS27/26/07/15/03)

Part No. 164D3799P002

- For use with Hotpoint® free-standing electric ranges.

(Models: RB787/757/536/526/525, RA624/620)

Part No. WB02K10020



Gas range

- For use with free-standing gas ranges.


(Models: JGB920/915/905/900, J2B915 and JGBP90/85/80/33/30/28/26/24, JGBS23/22/20/17/07/10/09/04, JGBC20)

Part No. 205C1714P001

- For use with Hotpoint free-standing gas ranges.

(Models: RGB745/533/528/524/508, RGA624/620)

Part No. WB02K0020



All GE ranges are equipped with an anti-tip device. The installation of this device is an important, required step in the installation of the range.

Universal anti-tip kit

- If the kit packed with the range is lost or the installation location makes using that kit impossible, this kit can be used with any gas or electric free-standing range, or any gas or electric slide-in range.

Part No. WB2X7909

Miscellaneous Accessories

WX10X300	CERAMA BRYTE® cleaning cream for all cooking products with ceramic glass
WX10X0302	CERAMA BRYTE cooktop scraper for all cooking products with ceramic glass
WB64X5027	CERAMA BRYTE cleaning cream and scraper for all cooking products with ceramic glass
WX10X350	CERAMA BRYTE cleaning pads for all cooking products with ceramic glass



GE Appliances

*GE Consumer Products
General Electric Company
Louisville, Kentucky 40225
GEAppliances.com*

GE has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.

© 2003 General Electric Company
Pub. No. 3-X293 PC36561