

Benchmark® Series - Stainless Steel B36BT130NS



B36BT130NS Stainless Steel

Also available in: Custom Panel B36IT100NP

The Benchmark 36" stainless steel built-in refrigerator, redesigned with premium metal interior, keeps food fresh longer and has efficient and precise cooling and humidity control.

Features & Benefits

VitaFresh® technology keeps food fresh up to 3x longer* with precise humidity and temperature control, on a full color UI.

Stainless steel backwall and bright LEDs keep the spotlight on your food.

Metal door bins, split shelves and three-tier freezer drawers to help you organize the way you want.

Full width deli drawer can accommodate large charcuterie or veggie platters for when you're ready to serve.

Internal water dispenser with UltraClarityPro* filter removes over 99.9% of impurities.

| Dimensions and Weight | |
|---|---------------------------------|
| Overall width (inches) | 35 1/4" |
| Overall height (inches) | 83 9/16" Min. – 85 1/2" Max. |
| Overall depth with doors and handles (inches) | 26 7/8" |
| Overall depth without doors and handles (inches) | 24" |
| Required cutout size (HxWxD) (inches) | 84" x 35 1/2"-36" x 24" |
| Net /gross weight (approx.) (lbs.) | 577.4 / 621.5 |
| Style | |
| Door panel style | Stainless Steel |
| Handle style | Bar Handle |
| Interior finish | SS Backwall |
| Number of doors | 3 |
| Innovation | |
| Wi-Fi-enabled for control with Home Connect® app | Yes |
| Remote monitoring and control | Yes |
| Remote system upgrade | Yes |
| Performance | |
| VitaFresh® | Yes |
| Evaporators / Compressors | 2 / 2 |
| Quick Ice | Yes |
| Automatic defrosting | Yes |
| Modes: Normal, Vacation, Shopping, Demo, SuperC | |
| Internal water dispenser | Yes |
| | Yes |
| One Touch BottleFill | |
| One Touch BottleFill Water filter (6 months) | Yes |
| | Yes Yes |

| _ | |
|---|--------------|
| | Home Connect |





| Capacity and Storage | |
|---|--------------------------|
| Total capacity (cu. ft.) | 20.1 |
| Refrigerator capacity (cu. ft.) | 13.2 |
| Freezer capacity (cu. ft.) | 6.9 |
| Full-extension freezer storage drawer | Yes |
| Tiered freezer drawer | 3-Tier |
| Full extension deli drawer | 1 |
| Full extension VitaFresh® drawers, 9 preset modes | 2 |
| Door bins | 4 Adjustable, 2 Fixed |
| General Features | |
| Color touchscreen control panel | Yes |
| Water filter replacement indicator | Yes |
| Ice maker | Yes |
| Ice On / Off | Yes |
| Ice production (24 hrs.), ice cubes (Ibs.) | 5.5 |
| Ice storage capacity (lbs.) | 6.6 |
| LED interior and drawer lighting | Yes |
| Independent cooling systems | 2 |
| SoftClose® Door | Yes |
| SoftClose® Drawers | Yes |
| Open Door Assist | No |
| Door alarm | Yes |
| Childproof lock | Yes |
| Cooling system | $MultiAirFlow^{m}$ |
| Maximum sound level | 39 dBA |
| Star-K certified Sabbath mode | TBD |
| Energy Efficiency | |
| ENERGY STAR® Certified | Yes |
| Energy consumption (kWh / yr) | 599 |

^{*}As compared to a Bosch refrigerator without VitaFresh*. Results may vary among different foods.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.



Benchmark® Series - Stainless Steel B36BT130NS

Operating Temperature

Refrigerator: 33°F (1°C) to 43°F (6°C)

Freezer Drawer: -11°F (-24°C) to 3°F (-16°C)

VitaFresh® Drawer: 9 preset modes (°F/humidity) Vegetables (32°F/high), Fruit (32°F/medium), Vegetables & Fruit (32°F/medium), Meat (30°F/low), Fish (30°F/low), Deli (34°F/low), Cheese (35°F/low), Beverages (34°F/low), Custom

SuperCool: 34°F (1°C) for approx. 6 hours

SuperFreeze®: -15°F (-26°C) for approx. 8 hrs.

| SuperFreeze: -15°F (-26°C) for approx. 8 nrs. | | |
|---|--|--|
| Installation Features | | |
| Four point front adjustable with 4 wheels | Yes | |
| Attachment method to cabinetry | 4 fixation brackets, Fixed at 4 corners of appliance, no visible screws | |
| Front serviceable | Yes | |
| Anti-tip bracket included | Yes | |
| Frame kit included | Yes | |
| Technical Specs | | |
| Required power supply | 110-120 V, 60 Hz, 10 Amp Min. | |
| Plug type | 120V-3 Prong | |
| Power cord length (in.) | 118" | |
| Warranty | | |
| Limited warranty, parts & labor | 1 Year | |
| Limited warranty, non- electronic parts (parts only, no labor) | 2 Years | |
| Electronic parts (parts only, no labor) | 5 Years | |
| Lifetime Limited: Stainless steel door if rust-through occurs (parts only, no labor) | Lifetime | |

Optional Accessories



BORPLFTR55 Replacement UltraClarityPro® water filter



11037377 Water filter bypass (part no.)




17006999
Replacement ethylene starter kit (part no.)



17007000Replacement ethylene filter packets (part no.)

Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).


Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.



Benchmark® Series - Stainless Steel B36BT130NS

Installation Details





Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.



Benchmark® Series - Stainless Steel B36BT130NS

Installation Details

