



Front Load Perfect Steam™ Washer with LuxCare® Plus Wash and SmartBoost® - 5.2 Cu. Ft.

Front Load Washer

Version: 10/25

Product Specifications

Washer		Washer Cycles	
Drum Light	Yes	Cycle Count	11
Drum Material	Stainless Steel	Activewear	Yes
Maximum Spin Speed	1300 RPM	Clean Washer	Yes
Water Heater	Yes	Cold Wash	Yes
Water Level Adjustment	Yes	Colors	Yes
		Delicates	Yes
Washer Options		Fast Wash	Yes
Allergen	Yes	Heavy Duty	Yes
Cold Sanitization	Yes	Normal	Yes
Delay Start Time	1-12 Hours	Optic Whites	Yes
Extra Rinse	Yes	Rinse and Spin	Yes
Perfect Steam	Yes	Towels	Yes
Pure Rinse	Yes		
Stain Soak	Yes	Soil Levels	
		Extra Light	Yes
Washer Spin Speeds		Light	Yes
Spin Speed Selections	5	Normal	Yes
Max	Yes	Heavy	Yes
High	Yes	Solid Soil	Yes
Medium	Yes		
Low	Yes	Controls	
No Spin	Yes	Cancel	Yes
чо эрш	163	Control Lock	Yes
Temperature Settings		Cycle Status Lights	Yes
Temperature Settings Eco Cold	Yes	Delay Start	Yes
Cool	Yes	Pause Function	Yes
Warm	Yes	Power On/Off	Yes
Hot	Yes	Start	Yes
Sanitize	Yes	- Start	100
Samuze	ies	Dimensions and Volume	
D'		Height	38"
Dispenser	37	Width	
Bleach Dispenser	Yes	Depth	32"
Detergent Dispenser	Yes	Washer Drum Capacity I.E.C.	5.2 Cu. Ft.
Fabric Softener Dispenser	Yes	Dry Linen Capacity Tested Amount	11.5 kg
Prewash Detergent Dispenser	Yes	Dry Emen Capacity Tested Amount	11.3 kg
PODs Dispenser	Yes	Emanger Data	
		Energy Data	2.2
Exterior		Integrated Modified Energy Factor	3.2
Door Latch	Yes	Integrated Water Factor	2.6
Reversible Door	Yes	kWh/cycle	0.29 kWh
		kWh/year	74 kWh
		Water Usage/Year	3452 Gallons

Wash and SmartBoost® - 4.5 Cu. Ft.

Version: 10/25

High Efficiency

Electrical Specifications		
Minimum Circuit Required	15 Amps	
Voltage Rating	120 V	
Installation Optional Pedestal	Yes	
	Yes Yes	

Optional Pedestal	ies	
Power Cord Included	Yes	
Stackable	Yes	
Performance Certifications and Ap	provals	
Performance Certifications and Ap CEE Tier	oprovals Tier 3	
-	-	

Yes

Available - Visit electrolux.ca/en/Owner-Support/right-to-repair for more information

Right to Repair Details	
Right to Repair	

General	Specifications
General	Specifications


Chime On / Chime Off	Yes
Leveling Legs	Yes
Prop 65 Label	No
Warranty - Labor	1 Year
Warranty - Motor	10 Years
Warranty - Parts	1 Year
Warranty - Tub	Lifetime

Safety Certifications and Approva	als	
NSF Certified	Yes	
Sanitization and Allergy Reduction	Yes	
UL Listed	Yes	

Version: 10/25

Installation Diagram

Washer dimensions



^{*}Connection of water inlet hose on steam dryer adds 3/4 in. (2 cm) to installation depth.

¹Power supply cord length on washer approximately 60 inches (152.5 cm).

²Drain hose length on washer approximately 59 inches (150 cm).

³Power supply cord length on gas dryer or electric Canadian dryer approximately 60 inches (152.5 cm).