



Front Load Washer with LuxCare® Wash - 5.1 Cu. Ft. I.E.C

Front Load Washer

Version: 10/25

Product Specifications

Washer		Washer Cycles	
Drum Light	No	Cycle Count	7
Drum Material	Stainless Steel	Clean Washer	Yes
Maximum Spin Speed	1100 RPM	Delicates	Yes
Water Heater	No	Fast Wash	Yes
Water Level Adjustment	Yes	Heavy Duty	Yes
		Normal	Yes
Washer Options		Rinse and Spin	Yes
Delay Start Time	1-12 Hours	Whites	Yes
Extended Refresh	Yes		
Extra Rinse	Yes	Soil Levels	
EARTH THISC	100	Extra Light	Yes
Washer Spin Speeds		Light	Yes
Spin Speed Selections	4	Normal	Yes
	Yes	Heavy	Yes
High Medium	Yes	iteavy	103
	Yes	Controls	
Low		Cancel	¥7
No Spin	Yes	Control Lock	Yes Yes
			Yes
Temperature Settings		Cycle Status Lights	
Eco Cold	Yes	Delay Start	Yes
Cool	Yes	Pause Function	Yes
Warm	Yes	Power On/Off	Yes
Hot	Yes	Start	Yes
Dispenser		Dimensions and Volume	
Bleach Dispenser	Yes	Height	38"
Detergent Dispenser	Yes	Width	27"
Fabric Softener Dispenser	Yes	Depth	32"
		Washer Drum Capacity I.E.C.	5.1 Cu. Ft.
Exterior		Dry Linen Capacity Tested Amount	11 kg
Door Latch	Yes		
Reversible Door	Yes	Energy Data	
		Integrated Modified Energy Factor	2.76
Electrical Specifications		Integrated Water Factor	3.2
Minimum Circuit Required	15 Amps	kWh/cycle	0.17 kWh
Voltage Rating	120 V	kWh/year	50 kWh
Totage Raung	TZU V	Water Usage/Year	4154 Gallons
Installation			
Optional Pedestal	Yes		
Power Cord Included	Yes		

Stackable

5505

Version: 10/25

1	Darfarmanca	Certifications and	d Approvale
ı	Periormance	Certifications and	u Abbrovais

CEE Tier	Tier 1
ENERGY STAR Certified	Yes
High Efficiency	Yes
Right to Repair Details Right to Repair	Available - Visit electrolux.ca/en/Owner- Support/right-to-repair for more information

General Specifications

Chime On / Chime Off	Yes
Leveling Legs	Yes
Prop 65 Label	No
Warranty - Labor	1 Year
Warranty - Motor	10 Years
Warranty - Parts	1 Year
Warranty - Tub	Lifetime


Safety Certifications and Approvals

Saicty Certifications and Approvais		
UL Listed	Yes	

Version: 10/25

Installation Diagram

Washer dimensions



^{*}Connection of water inlet hose on steam dryer adds 3/4 in. (2 cm) to installation depth.

¹Power supply cord length on washer approximately 60 inches (152.5 cm).

²Drain hose length on washer approximately 59 inches (150 cm).

³Power supply cord length on gas dryer or electric Canadian dryer approximately 60 inches (152.5 cm).