



Front Load Perfect Steam TM Gas Dryer with LuxCare $^{\mathbb{R}}$ Dry and Instant Refresh - 8.0 Cu. Ft.

Dryer

Version: 10/25

| Product Specifications | | | | |
|--|------------------|--|-----------|--|
| Dryer | | Dryer Cycles | | |
| Air Flow | 200 CFM | Cycle Count | 11 | |
| Balanced Dry | Yes | Activewear | Yes | |
| Drum Back Type | Painted Steel | Air Dry | Yes | |
| Drum Material | Stainless Steel | Allergen | Yes | |
| Dryness Level Selections | Yes | Delicates | Yes | |
| Heating Element | 20000 BTU | Fast Dry | Yes | |
| Lint Filter | Yes | Heavy Duty | Yes | |
| Predictive Dry | Yes | Instant Refresh | Yes | |
| Treateure Bry | | Mixed Load | Yes | |
| Dryer Options | | Normal | Yes | |
| Anti Static | Yes | Timed Dry Time | Yes | |
| Delay Start Time | 1-12 Hours | Towels | Yes | |
| Drum Light | Yes | | | |
| Dry Boost | Yes | Drying Temperatures | | |
| Extended Tumble | Yes | Low | Yes | |
| Perfect Steam | Yes | Normal | Yes | |
| Wrinkle Release | Yes | High | Yes | |
| | | Sanitize | Yes | |
| Dryness Level | | Eco Dry | Yes | |
| Max | Yes | J. J | | |
| High | Yes | Controls | | |
| Normal | Yes | Cancel | Yes | |
| Low | Yes | Control Lock | Yes | |
| Damp | Yes | Cycle Status Lights | Yes | |
| zump | 100 | Delay Start | Yes | |
| Exterior | | Estimated Time Remaining | Yes | |
| Door Latch | Yes | Pause Function | Yes | |
| Reversible Door | Yes | Power On/Off | Yes | |
| Neversible Door | 163 | Start | Yes | |
| Electrical Specifications | | Start | 100 | |
| Electrical Specifications Minimum Circuit Required | 1F Amns | Dimensions and Volume | | |
| | 15 Amps 120 V | Height | 38" | |
| Voltage Rating | 12U V | Width | 27" | |
| Installation | | Depth | 32" | |
| Installation | 37 | Dryer Drum Capacity | 8 Cu. Ft. | |
| Optional Pedestal | Yes | Dry Linen Capacity Tested Amount | 11.5 kg | |
| Power Cord Included | Yes | | 11.0 NS | |
| Ventilation Type | Vented | Energy Data | | |
| | | Energy Data Combined Energy Factor (CEF) | 3.48 | |
| Performance Certifications and Appro | | kWh/cycle | 2.5 kWh | |
| ENERGY STAR Certified | Yes | kWh/year | 710 kWh | |

kWh/year

710 kWh

and Instant Refresh – 8.0 Cu. Ft.

Version: 10/25

| Right | to Re | pair | Details |
|-------|-------|------|----------------|
|-------|-------|------|----------------|

Available - Visit
electrolux.ca/en/OwnerSupport/right-to-repair
for more information

General Specifications

5476

| Chime On / Chime Off | Yes |
|----------------------|--------|
| Leveling Legs | Yes |
| Prop 65 Label | Yes |
| Warranty - Labor | 1 Year |
| Warranty - Parts | 1 Year |

Safety Certifications and Approvals


| Saicty Certifications and Approvais | |
|-------------------------------------|-----|
| UL Listed | Yes |

Version: 10/25

and Instant Refresh - 8.0 Cu. Ft.

Installation Diagram

Dryer dimensions



- * Connection of water inlet hose on steam dryer adds 3/4 in. (2 cm) to installation depth.
- Power supply cord length on gas dryer or electric Canadian dryer approximately 60 inches (152.5 cm).
- ² Drain hose length on washer approximately 59 inches (150 cm).
- ³ Power supply cord length on washer approximately 60 inches (152.5 cm).