



Front Load Gas Dryer – 8.0 Cu. Ft.

Dryer

Version: 10/25

| Product Specifications                          |                                 |                                  |           |
|---|---------------------------------|----------------------------------|-----------|
| Dryer   |                                 | Dryer Cycles                     |           |
| Air Flow  | 200 CFM                         | Cycle Count                      | 7         |
| Drum Back Type                                  | Painted Steel                   | Bulky                            | Yes       |
| Drum Material                                   | Painted Steel                   | Delicates                        | Yes       |
| Dryness Level Selections                        | Yes                             | Fast Dry                         | Yes       |
| Heating Element                                 | 20000 BTU                       | Heavy Duty                       | Yes       |
| Lint Filter                                     | Yes                             | Normal                           | Yes       |
| Moisture Sensor                                 | Yes                             | Timed Dry Time                   | Yes       |
|   |                                 | Towels                           | Yes       |
| Dryer Options                                   |                                 |                                  |           |
| Delay Start Time                                | 1-12 Hours                      | Drying Temperatures              |           |
| Dry Boost                                       | Yes                             | Low                              | Yes       |
| Extended Tumble                                 | Yes                             | Normal                           | Yes       |
| Wrinkle Release                                 | Yes                             | High                             | Yes       |
|   | 103                             | Eco Dry                          | Yes       |
| Dryness Level                                   |                                 | Eco Diy                          | 103       |
| •   | Vac                             | Controls                         |           |
| High<br>Normal                                  | Yes<br>Yes                      | Cancel                           | Yes       |
|   |                                 |                                  |           |
| Low   | Yes                             | Control Lock                     | Yes       |
| Damp  | Yes                             | Cycle Status Lights              | Yes       |
| T   |                                 | Delay Start                      | Yes       |
| Exterior  |                                 | Estimated Time Remaining         | Yes       |
| Door Latch                                      | Yes                             | Pause Function                   | Yes       |
| Reversible Door                                 | Yes                             | Power On/Off                     | Yes       |
|   |                                 | Start                            | Yes       |
| <b>Electrical Specifications</b>                |                                 | m                                |           |
| Minimum Circuit Required                        | 15 Amps                         | <b>Dimensions and Volume</b>     |           |
| Voltage Rating                                  | 120 V                           | Height                           | 38"       |
|   |                                 | Width                            | 27"       |
| Installation                                    |                                 | Depth                            | 32"       |
| Optional Pedestal                               | Yes                             | Dryer Drum Capacity              | 8 Cu. Ft. |
| Power Cord Included                             | Yes                             | Dry Linen Capacity Tested Amount | 11 kg     |
| Ventilation Type                                | Vented                          |                                  |           |
| **  |                                 | Energy Data                      |           |
| <b>Performance Certifications and Approvals</b> |                                 | Combined Energy Factor (CEF)     | 3.93      |
| ENERGY STAR Certified                           | Yes                             | kWh/cycle                        | 2.19 kWh  |
|   |                                 | kWh/year                         | 710 kWh   |
| Right to Repair Details                         |                                 |                                  |           |
| ragni to repair Details                         | Available - Visit               | General Specifications           |           |
|   | electrolux.ca/en/Owner-         | Chime On / Chime Off             | Yes       |
| Right to Repair                                 | Support/right-to-repair         | Leveling Legs                    | Yes       |
|   | for more information            | Prop 65 Label                    | Yes       |
|   | 101 111010 11110111111111111111 | P                                | 100       |

Warranty - Labor

Warranty - Parts

1 Year

1 Year

Version: 10/25


## **Safety Certifications and Approvals**

UL Listed

Yes

## **Installation Diagram**

## **Dryer dimensions**



- \* Connection of water inlet hose on steam dryer adds 3/4 in. (2 cm) to installation depth.
- <sup>1</sup> Power supply cord length on gas dryer or electric Canadian dryer approximately 60 inches (152.5 cm).
- <sup>2</sup> Drain hose length on washer approximately 59 inches (150 cm).
- <sup>3</sup> Power supply cord length on washer approximately 60 inches (152.5 cm).

Front Load Gas Dryer -8.0 Cu. Ft.

5476

Version: 10/25