
# FRIGIDAIRE



30" Single Electric Wall Oven with Stone-Baked Pizza

Single Wall Oven
Version: 10/25

#### **Product Specifications Cooking Controls Cooking Controls Function** Air Fry Change between Continuous Bake Setting or 12-Hour Yes Yes Energy Saving Feature Air Sous Vide Yes Delayed Bake Yes Bake Yes Program Fahrenheit or Celsius Yes Bake Time Yes Bread Proof Yes Silent Control Panel Yes Broil Yes Clock Yes **Included Pizza Accessories** Convection Bake Yes Pizza Stone Yes Convection Convert Yes Pizza Shield Yes Convection Roast Yes Peel Yes Cook Time Yes Dehydrate Yes **Display** Delay Clean Yes Display Interface Color White Delay Start Yes Display Light Color Door Lock Yes Capacitive Touch Display Type Keep Warm Yes Kitchen Timer Yes **Electrical Specifications** Light Yes Minimum Circuit Required 20 Amps Multi-Rack Cooking Yes 240 V Voltage Rating My Favorite Yes No Preheat **General Specifications** Oven Light Yes Frigidaire Fit Promise Yes Oven Lock Yes Warranty - Labor 1 Year Preheat Yes Warranty - Parts 1 Year Probe Yes Self Clean Yes **Connectivity** Set Clock Yes Wi-Fi Enabled Yes Slow Cook Yes Start Yes **Right to Repair Details** Start Time Yes Partially Available - Visit Steam Bake Yes frigidaire.ca/right-to-Steam Clean Yes Right to Repair repair for more Steam Roast Yes information

Yes

Yes

Yes

Stone-Baked Pizza Temperature Display

Timer On / Off

User Preferences

Version: 10/25

Ove	n
D 1	TO 1

Oven			
Bake Element	2500 Watts		
Bake Element Pass	8		
Bake Element Type	Hidden		
Broil Element	4000 Watts		
Broil Element Pass	6		
Broil System	Yes		
Cleaning System	Yes		
Convection	Yes		
Convection Element	3800 Watts		
Convection Type	Total		
Number of Convection Fans	1		
Number of Rack Positions	6		
Oven Interior Color	Midnight Black		
Oven Light Quantity	2		
Oven Light Type	Halogen		
Oven Light Watts	atts 40 Watts		
Rack Position Type	Embossed		
Rack Type 1	Flat		
Rack Type 1 Quantity	1		
Rack Type 2	Glide		
Rack Type 2 Quantity	1		

#### **Controls**

Control Lock	Yes
Sabbath Mode	Yes

## **Dimensions and Volume**

Height	28"
Width	29 7/8"
Depth	25 3/16"
Depth With Door 90° Open	48 3/16"
Depth With Handle	27 3/5"
Oven Interior Height	18 1/8"
Oven Interior Width	25 1/5"
Oven Interior Depth	19 7/8"
Minimum Cutout Height	26 3/4"
Minimum Cutout Width	28 1/2"
Maximum Cutout Height	28"
Maximum Cutout Width	29"
Oven Capacity	5.3 Cu. Ft.

#### Installation


Power Supply Connection Location	Top Left

# **Safety Certifications and Approvals**

CSA Listed	Yes
RoHS	Yes
UL Listed	Yes

Version: 10/25

# **Installation Diagram**



## NOTES:

- 1. Allow at least 23" (58.4 cm) clearance in front of oven for door depth when it is open.
- Dimension G (cutout depth) is critical to the proper installation of the built-in oven. If the oven trim does not butt against the cabinet, or if noise is heard on convection models, verify dimension G to assure it is the required depth.
- For a cutout height greater than the maximum (H), add one 2"(5 cm) wide wood shim of appropriate height to each side of the opening under the appliance side rails. A trim kit may be purchased through a dealer, service, or on the brand website.

Figure 1 30" Single Wall Ovens

		-			
		PRODUCT D	IMENSIONS		
Α	В	С	D		E
297/8 (75.9 cm)	28 (71.1 cm)	28 <sup>7</sup> / <sub>16</sub> (72.2 cm)	25 <sup>3</sup> / <sub>16</sub> (63.9 cm)		26 (66.1 cm)
CUTOUT DIMENSIONS AND CABINET WIDTH					
F		G	H. Standard Height (**Others, see note 3)		1
Min.	Max.	Min.	Min.	Max.	
28 <sup>1</sup> / <sub>2</sub> (72.4 cm)	29 (73.7 cm)	231/2 (59.7 cm)	26 <sup>3</sup> / <sub>4</sub> (68.0 cm)	28 (71.1 cm)	301/8 (76.5 cm) Min