FRIGIDAIRE



30" Double Electric Wall Oven with Stone-Baked Pizza

Double Wall Oven

Available Products: GCWD3070AF

Available Colors: Stainless Steel

Version: 10/25

Product Specifications

Cooking Controls		Cooking Controls Function	
Air Fry	Yes	Change between Continuous Bake Setting or 12-Hour	Yes
Air Sous Vide	Yes	Energy Saving Feature	163
Bake	Yes	Delayed Bake	Yes
Bake Time	Yes	Program Fahrenheit or Celsius	Yes
Bread Proof	Yes	Silent Control Panel	Yes
Broil	Yes		
Clock	Yes	Included Pizza Accessories	
Convection Bake	Yes	Pizza Stone	Yes
Convection Convert	Yes	Pizza Shield	Yes
Convection Roast	Yes	Peel	Yes
Cook Time	Yes		
Dehydrate	Yes	Display	
Delay Clean	Yes	Display Interface Color	White
Delay Start	Yes	Display Light Color	White
Door Lock	Yes	Display Type	Capacitive Touch
Keep Warm	Yes	Dispidy Type	Capacitive Touch
Kitchen Timer	Yes	Electrical Specifications	
Light	Yes	Electrical Specifications	40. 4
My Favorite	Yes	Amps @ 240 Volts	40 Amps
No Preheat	Yes	Minimum Circuit Required	40 Amps
Oven Light	Yes	Voltage Rating	240 V
Oven Lock	Yes		
Preheat	Yes	General Specifications	
Probe	Yes	Frigidaire Fit Promise Yes	
Self Clean	Yes	Prop 65 Label Yes	
Set Clock	Yes	Warranty - Labor	1 Year
Slow Cook	Yes	Warranty - Parts	1 Year
Start	Yes		
Start Time	Yes	Connectivity	
Steam Bake	Yes	Wi-Fi Enabled	Yes
Steam Clean	Yes		
Steam Roast	Yes	Safety Certifications and Approvals	
Stone-Baked Pizza	Yes	CSA Listed	Yes
Stone Buked I IZZu	Yes - Either the Top or	RoHS	Yes
Stone-Baked Pizza in Both Ovens	Bottom (Not at the Same	UL Listed	Yes
Stone Banea I ibba in Boar Syens	Time)		
Temperature Display	Yes	Right to Repair Details	
Timer On / Off	Yes	ragin to repair Details	Partially Available - Visit
User Preferences	Yes		frigidaire.ca/right-to-
		Right to Repair	repair for more information

30" Double Electric Wall Oven with Stone-Baked Pizza

5470

Available Products: GCWD3070AF

Available Colors: Stainless Steel

Version: 10/25

-			
"	W 7	_	-
٧,		"	

2500 Watts		
8		
Hidden		
4000 Watts		
6		
Yes		
Yes		
Yes		
3800 Watts		
Total		
1		
6		
Midnight Black		
2		
Halogen		
40 Watts		
Embossed		
Flat		
3		
Glide		
1		

Controls

Control Lock	Yes
Sabbath Mode	Yes

Dimensions and Volume

Height	50 3/4"
Width	29 7/8"
Depth	25 3/16"
Depth With Door 90° Open	48 3/16"
Depth With Handle	27 3/5"
Lower Oven Interior Height	18 1/8"
Lower Oven Interior Width	25 1/5"
Lower Oven Interior Depth	19 7/8"
Upper Oven Interior Height	18 1/8"
Upper Oven Interior Width	25 1/5"
Upper Oven Interior Depth	19 7/8"
Minimum Cutout Height	48 7/8"
Minimum Cutout Width	28 1/2"
Maximum Cutout Height	50 1/4"
Maximum Cutout Width	29"
Oven Lower Capacity	5.3 Cu. Ft.
Oven Upper Capacity	5.3 Cu. Ft.
Total Capacity	10.6 Cu. Ft.

Installation

Power Supply Connection Location	Top Left

Certifications and Approvals

Star-K Certification Yes

Accessories


Optional Air Fry Tray Part Number	FRIGPEREAFT
Optional Trim Kit Part Number	WOMC3TRIMSS, WOMC3TRIMDSS

Available Products: GCWD3070AF

Available Colors: Stainless Steel

Version: 10/25

Installation Diagram



NOTES:

- Allow at least 23" (58.4 cm) clearance in front of oven for door depth when it is open.
- Dimension G (cutout depth) is critical to the proper installation of the built-in oven. If the oven trim does not butt against the cabinet, or if noise is heard on convection models, verify dimension G to assure it is according to the required dimension.
- For a cutout height greater than the maximum (H), add one 2"(5 cm) wide wood shim of appropriate height to each side of the opening under the appliance side rails. A trim kit may be purchased through a dealer, service, or on the brand website.

Figure 2 30" Double Wall Ovens

		PRODUCT [DIMENSIONS		
Α	В	С	D		Е
29 ⁷ / ₈ (75.9 cm)	50 ³ / ₄ (128.9 cm)	28 ⁷ / ₁₆ (72.2 cm)	25 ³ / ₁₆ (63.9 cm)		48 ⁷ / ₈ (124.1 cm)
	CUTOL	JT DIMENSIONS	S AND CABINET	WIDTH	
F		G	H. Standard Height (**Others, see note 3)		1
Min.	Max.	Min.	Min.	Max.	
281/2 (72.4 cm)	29 (73.7 cm)	23 ¹ / ₂ (59.7 cm)	48 ⁷ / ₈ (124.1 cm)	50 ¹ / ₄ (127.6 cm)	30 ¹ / ₈ (76.5 cm) Mir