



24" Stainless Steel Tub Built-In Dishwasher with CleanBoost™

Dishwasher

Available Products: PDSH4816AF

Available Colors: Stainless Steel

Version: 10/25

Product Specifications

Dishwasher		Dishwasher Cycles	
Detergent Dispenser	Yes	China Crystal	Yes
Filter Material	Stainless Steel	Energy Saver	Yes
Filter Trap	Removable	Favorite	Yes
Filtered Water	100 %	Heavy	Yes
Hard Food Disposer or Filtration	Yes	Normal	Yes
Interior Light	No	Number of Cycles	8
Leak Detection System	Yes	Quick	Yes
Motor Speeds	Multi-Speed	Rinse Only	Yes
Place Setting Capacity	14	Sanitize	Yes
Rinse Aid Dispenser	Yes		
Smart Soil Sensor	Yes	Lower Rack	
Lower Spray Arm	Orbit	Fold-Down	Yes
Middle Spray Arm	Bi-Beam	Maximum Height Clearance	13 1/4"
Jpper Spray Arm	Spray Arm	Minimum Height Clearance	11 1/4"
Status Indicator Floor Beam	Yes	Number of Silverware Basket	1
Tub Color	Stainless Steel	Number of Silverware Basket Lids	2
Tub Design	Tall Tub	Rack Coating	Nylon
Tub Material	Stainless Steel	Rack Type	Deluxe
Wash Levels	5		
Wash System	Direct Feed	Third Level Rack	
		Third Level Rack	Yes
Dishwasher Options		Rack Coating	Nylon
Air Dry	Yes	Rack Handles	No
Dry - Air	Yes	Nack Handles	140
Dry - Heat	Yes	Exterior	
Dry - Max	Yes	Door and Handle Design	Handle
Drying System	Even Dry	Door Latch	Pull
Heated Dry	Yes	Door Type	StayPut
Start/Cancel	Yes	Door Type	StayPut
Upper Rack		Electrical Specifications	
Cup Shelf	Yes	Amps @ 120 Volts	15 Amps
Fold-Down	Yes	Voltage Rating	120 V
Maximum Height Clearance	10 3/8"		
Minimum Height Clearance	8 1/2"	—— General Specifications	
Rack Coating	Nylon	—— Sound Level	47 dBA
Rack Handles	Yes	Annual Energy	240 kWh
Rack Type	Deluxe	Prop 65 Label	No
Stemware Holder	Yes	Warranty - Labor	1 Year
	122	Warranty - Parts	1 Year

CEE Tier

ENERGY STAR Certified

Tier 1

Yes

24" Stainless Steel Tub Built-In Dishwasher with

5464

 $CleanBoost^{TM}$

Available Products: PDSH4816AF Available Colors: Stainless Steel

Version: 10/25

Meets ASSE 1006 Requirements

NSF Certified

UL Listed

Controls	
Control Location	Тор
Control Lock	Yes
Delay Start Hours	1-12 Hours
Digital Display	Yes
Rinse Aid Indicator	Yes
Dimensions and Volume	
Minimum Height	33 3/4"
Maximum Height	35 3/4"
Width	24"
Depth	24 1/4"
Depth With Door Open	50 1/4"
Depth With Handle	26 69/100"
Installation	
Number of Leveling Legs	3
Certifications and Approvals	
ADA Compliant	No
Safety Certifications and Approvals	
cUL Listed	Yes

Yes

Yes

Yes

Right	to	Repair	Details
-------	----	--------	----------------

Partially Available - Visit frigidaire.ca/right-to-repair for more information

CleanBoostTM

Available Products: PDSH4816AF Available Colors: Stainless Steel

Version: 10/25

Installation Diagram



