




24" Built-In Dishwasher

Dishwasher

Available Products: FDPH4316AB, FDPH4316AD, FDPH4316AS, FDPH4316AW

Available Colors: Black, Black Stainless Steel, Stainless Steel, White

Version: 10/25

Product Specifications

Dishwasher

Detergent Dispenser	Yes
Filter Material	Plastic
Filter Trap	Removable
Filtered Water	100 %
Hard Food Disposer or Filtration	Yes
Motor Speeds	Single-Speed
Place Setting Capacity	14
Rinse Aid Dispenser	Yes
Smart Soil Sensor	Yes
Lower Spray Arm	Bi-Beam
Middle Spray Arm	Bi-Beam
Upper Spray Arm	Spray Arm
Tub Color	Midnight Ink
Tub Design	Tall Tub
Tub Material	Plastic
Wash Levels	5
Wash System	Direct Feed
Water Pressure	120 psi
Water Usage	3.2 Gallons

Dishwasher Options

Air Dry	Yes
Dry - Heat	Yes
Dry - Max	Yes
Drying System	Static Vent
Heated Dry	Yes
High Temperature	Yes
Start/Cancel	Yes
Washing Temperature - High	Yes
Washing Temperature - Sanitize	Yes

Upper Rack

Cup Shelf	Yes
Minimum Height Clearance	8"
Rack Coating	PVC
Rack Spacer	Yes
Rack Type	Standard

Exterior

Door and Handle Design	Handle
Door Latch	Pull
Door Type	StayPut

Dishwasher Cycles

Energy Saver	Yes
Heavy	Yes
Normal	Yes
Number of Cycles	4
Quick	Yes

Lower Rack

Maximum Height Clearance	13"
Minimum Height Clearance	11"
Number of Silverware Basket	1
Number of Silverware Basket Lids	3
Rack Coating	PVC
Rack Type	Standard

Controls

Control Location	Top
Control Lock	Yes
Delay Start Hours	2-4-6 Hours
Digital Display	No
Rinse Aid Indicator	Yes

Dimensions and Volume

Minimum Height	33 1/2"
Maximum Height	35"
Width	24"
Depth	25"
Depth With Door Open	49 1/4"

Installation

Connection Location	Right Bottom
Number of Leveling Legs	4
Water Inlet Location	Left Bottom Front

Performance Certifications and Approvals

CEE Tier	Tier 1
ENERGY STAR Certified	Yes

Right to Repair Details

Right to Repair	Partially Available - Visit frigidaire.ca/right-to-repair for more information
-----------------	---

24" Built-In Dishwasher	5464
Available Products: FDPH4316AB, FDPH4316AD, FDPH4316AS, FDPH4316AW	Available Colors: Black, Black Stainless Steel, Stainless Steel, White
Version: 10/25	

Electrical Specifications

Amps @ 120 Volts	10 Amps
Connected Load @ 120V	1.2 kW
Voltage Rating	120 V

General Specifications

Sound Level	52 dBA
Annual Energy	240 kWh
Prop 65 Label	Yes
Warranty - Labor	1 Year
Warranty - Parts	1 Year

Safety Certifications and Approvals


cUL Listed	Yes
Meets ASSE 1006 Requirements	Yes
NSF Certified	Yes
UL Listed	Yes

Available Products: FDPH4316AB, FDPH4316AD,
FDPH4316AS, FDPH4316AW

Available Colors: Black, Black Stainless Steel, Stainless Steel,
White

Version: 10/25

Installation Diagram



*DIMENSIONS DO NOT INCLUDE INSULATION

