



30" Gas Range with No Preheat and Air Fry

Gas Range

Available Products: PCFG3080AF

Available Colors: Stainless Steel

Version: 10/25

Product Specifications

Cooking Controls		Cooking Controls Function	
Air Fry	Yes	Adjustable Volume Feedback	Yes
Bake	Yes	Change between Continuous Bake Setting or 12-Hour	Yes
Broil	Yes	Energy Saving Feature	ies
Cancel	Yes	Delayed Bake	Yes
Child Lock	Yes	Program Fahrenheit or Celsius	Yes
Clock	Yes	Silent Control Panel	Yes
Convection Bake	Yes		
Convection Convert	Yes	Cooktop	
Convection Roast	Yes	Cooking Surface Type	Gas
Cook Time	Yes	Grate Material	Cast Iron
Delay Clean	Yes	Grate Quantity	3
Delay Start	Yes	Grate Style	Continuous
Door Lock	Yes	Integrated Griddle Included	Yes
Keep Warm	Yes	Total Number of Burners	6
Kitchen Timer	Yes		
Lockout	Yes	Drawer	
No Preheat	Yes	Drawer Type	Storage
Off	Yes	Diawei Type	Storage
Oven Indicator Light	Yes	Disales:	
Oven Light	Yes	——— Display	
Preheat	Yes	Control Location	Front
Probe	Yes	Display Interface Color	White
Self Clean	Yes	Display Type	Capacitive Touch
Slow Cook	Yes		
Steam Bake	Yes	— Dimensions and Volume	
Steam Clean	Yes	Minimum Height	35 5/8"
Steam Roast	Yes	Maximum Height	36 3/8"
Temperature Display	Yes	Width	30"
Temperature Display	100	Depth	26"
		Depth With Door 90° Open	47 1/4"
		Depth With Handle	28 1/2"
		Oven Interior Height	20 11/16"
		Oven Interior Width	25 3/16"
		Oven Interior Depth	19 7/8"
		Oven Capacity	6 Cu. Ft.
		Installation	
		Adjustable Leveling Legs	Yes
		Included Power Cord Type	3-Prong Plug
		Power Cord Included	Yes
		1 owel Gold Included	103
		Certifications and Approvals	
		ADA Compliant	Yes
		Star-K Certification	Yes

5513 30" Gas Range with No Preheat and Air Fry Available Products: PCFG3080AF Available Colors: Stainless Steel Version: 10/25

Oven		
Bake Element	18000 BTU	
Broil Element	13500 BTU	
Cleaning System	Yes	
Convection	Yes	
Convection Element	1000 Watts	
Convection Type	Total	
Number of Convection Fans	1	
Number of Rack Positions	7	
Oven Interior Color	Midnight Black	
Oven Light Quantity	2	
Oven Light Type	Halogen	
Oven Light Watts	40 Watts	
Rack Position Type	Nickel Ladder	
Rack Type 1	Handle	
Rack Type 1 Quantity	1	
Rack Type 2	Glide	
Rack Type 2 Quantity	1	
Rack Type 3	Air Fry Tray	
Rack Type 3 Quantity	1	
Tuen Type 5 Quantity		
Cooktop Performance		
Right Front Element Burner	18000 BTU	
Right Rear Element Burner	5000 BTU	
Left Front Element Burner	18000 BTU	
Left Rear Element Burner	7500 BTU	
Center Front Element Burner	7500 BTU	
Center Profit Element Burner	7500 BTU	
Center Near Element Burner	7300 B1 C	
Controls		
Control Lock	Yes	
Sabbath Mode	Yes	
Sabbatii Wode	163	
Exterior		
Backlit Knobs	Yes	
Dackiit Kilous	165	
Electrical Specifications		
Amps @ 120 Volts	12 Amps	
Voltage Rating	120 V	
voltage Katilig	120 V	
General Specifications		
Frigidaire Fit Promise	Yes	
Prop 65 Label	Yes	
Warranty - Labor	1 Year	
Warranty - Parts	1 Year	
	Information available at	
AB-1200	frigidaire.com/en/ab1200	
	<i>S</i>	
Safety Certifications and Approvals		
CSA Listed	Yes	
D 110	**	

RoHS

Right to Repair Details Partially Available - Visit frigidaire.ca/right-to-Right to Repair repair for more information


Yes

Available Colors: Stainless Steel

Available Products: PCFG3080AF

Version: 10/25

Installation Diagram



*30" (762 mm) MINIMUM CLEARANCE BETWEEN THE TOP OF THE COOKING SURFACE AND THE BOTTOM OF AN UNPROTECTED WOOD OR METAL CABINET; OR 24" (610 mm) MINIMUM WHEN BOTTOM OF WOOD OR METAL CABINET IS PROTECTED BY NOT LESS THAN 1/4" (6 mm) FLAME RETARDANT MILLBOARD COVERED WITH NOT LESS THAN NO. 28 MSG SHEET STEEL, 0.015" (0.4 mm) STAINLESS STEEL, 0.024" (0.6 mm) ALUMINUM OR 0.020" (0.5 mm) COPPER. 0" (0 mm) CLEARANCE IS THE MINIMUM FOR THE REAR OF THE RANGE. FOLLOW ALL DIMENSION REQUIREMENTS PROVIDED ABOVE TO PREVENT PROPERTY DAMAGE, POTENTIAL FIRE HAZARD, AND INCORRECT COUNTERTOP AND CABINET CUTS.

