

30"	Electric	Double	Wall	Oven	with	Air	Sous	Vide

Double Wall Oven

Version: 10/25

Product Specifications

Cooking Controls		Cooking Controls Function	
Air Fry	Yes	Change between Continuous Bake Setting or 12-Ho	
Air Sous Vide	Yes	Energy Saving Feature	Yes
Bake	Yes	Delayed Bake	Yes
Bread Proof	Yes	Program Fahrenheit or Celsius	Yes
Broil		Silent Control Panel	Yes
	Yes	Timed Cooking	Yes
Cancel	Yes	Tillied Cooking	ies
Child Lock	Yes		
Clear Off	Yes	Controls	
Clock	Yes	Control Lock	Yes
Convection Bake	Yes	Sabbath Mode	Yes
Convection Roast	Yes		
Cook Time	Yes	Dimensions and Volume	
Dehydrate	Yes	Height	50 3/4"
Delay Clean	Yes	Width	29 7/8"
Delay Start	Yes	Depth	25 3/16"
Fast Preheat	Yes	Depth With Door 90° Open	48 3/16"
Keep Warm	Yes	Depth With Handle	27 3/5"
Kitchen Timer	Yes	Lower Oven Interior Height	18 1/8"
Light	Yes	Lower Oven Interior Width	25 1/5"
My Favorite	Yes	Lower Oven Interior Depth	19 7/8"
Off	Yes	Upper Oven Interior Height	18 1/8"
Oven Light	Yes	Upper Oven Interior Width	25 1/5"
Perfect Turkey	Yes	Upper Oven Interior Depth	19 7/8"
Preheat	Yes	Minimum Cutout Height	48 7/8"
Probe	Yes	Minimum Cutout Width	28 1/2"
Self Clean	Yes	Minimum Cutout Depth	23 1/2"
Set Clock	Yes	Maximum Cutout Height	50 1/4"
Slow Cook	Yes	Maximum Cutout Width	29"
Start	Yes	Oven Lower Capacity	5.3 Cu. Ft.
Start Time	Yes	Oven Upper Capacity Oven Upper Capacity	5.3 Cu. Ft.
Steam Bake	Yes	Total Capacity	10.6 Cu. Ft.
Steam Clean	Yes	Total Capacity	10.0 Cu. Ft.
Steam Roast	Yes	Testallation	
Stop	Yes	Installation	TD T 6
Temperature Display	Yes	Power Supply Connection Location	Top Left
Timed Bake	Yes		
Timer On / Off	Yes	———— Certifications and Approvals	
User Preferences	Yes	ADA Compliant	No
OSEI I TETETETICES	162	Star-K Certification	Yes

Version: 10/25

UL Listed

Oven	
Bake Element	2500 Watts
Bake Element Pass	8
Bake Element Type	Hidden
Broil Element	4000 Watts
Broil Element Pass	6
Broil System	Yes
Cleaning System	Yes
Convection	Yes
Convection Element	3800 Watts
Convection Type	Total
Number of Convection Fans	1
Number of Rack Positions	6
Oven Interior Color	Midnight Black
Oven Light Quantity	2
Oven Light Type	Halogen
Oven Light Watts	40 Watts
Rack Position Type	Embossed
Rack Type 1	Handle Bull Nose
Rack Type 1 Quantity	3
Rack Type 2	Glide
Rack Type 2 Quantity	2
Rack Type 3	Air Fry Tray
Rack Type 3 Quantity	1
Display	
Control Location	Тор
Display Interface Color	White
Display Light Color	White
Display Type	Capacitive Touch
Electrical Specifications	
Amps @ 240 Volts	40 Amps
Connected Load @ 240V	9 kW
Voltage Rating	240 V
voltage reaching	240 V
General Specifications	
Prop 65 Label	Yes
Warranty - Labor	1 Year
Warranty - Parts	1 Year
Connectivity	
Wi-Fi Enabled	Yes
Safaty Cartifications and Approvals	
Safety Certifications and Approvals CSA Listed	Voc
	Yes
RoHS	Yes


Right to Repair Details

Partially Available - Visit electrolux.ca/en/Owner-Support/right-to-repair for more information

Yes

Version: 10/25

Installation Diagram



NOTES:

- 1. Allow at least 23" (58.4 cm) clearance in front of oven for door depth when it is open.
- Dimension G (cutout depth) is critical to the proper installation of the built-in oven. If the oven trim does not butt against the cabinet, or if noise is heard on convection models, verify dimension G to assure it is according to the required dimension.
- For a cutout height greater than the maximum (H), add one 2"(5 cm) wide wood shim of appropriate height to each side of the opening under the appliance side rails. A trim kit may be purchased through a dealer, service, or on the brand website.

Y								
PRODUCT DIMENSIONS								
Α	В	С	D		E			
29 ⁷ / ₈ (75.9 cm)	50 ³ / ₄ (128.9 cm)	28 ⁷ / ₁₆ (72.2 cm)	25 ³ / ₁₆ (63.9 cm)		48 ⁷ / ₈ (124.1 cm)			
CUTOUT DIMENSIONS AND CABINET WIDTH								
F		G	H. Standa (**Others,	1				
Min.	Max.	Min.	Min.	Max.				
28 ¹ / ₂ (72.4 cm)	29 (73.7 cm)	23 ¹ / ₂ (59.7 cm)	48 ⁷ / ₈ (124.1 cm)	50 ¹ / ₄ (127.6 cm)	30 ¹ / ₈ (76.5 cm) Min			