

FRIGIDAIRE

GALLERY



24" Stainless Steel Tub Built-In Dishwasher with CleanBoost™

Dishwasher

Available Products: GDSP4715AF

Available Colors: Stainless Steel

Version: 10/25

Product Specifications

Dishwasher

Detergent Dispenser	Yes
Filter Material	Stainless Steel
Filter Trap	Removable
Filtered Water	100 %
Hard Food Disposer or Filtration	Yes
Interior Light	No
Leak Detection System	Yes
Motor Speeds	Multi-Speed
Place Setting Capacity	14
Rinse Aid Dispenser	Yes
Smart Soil Sensor	Yes
Lower Spray Arm	Orbit
Middle Spray Arm	Bi-Beam
Upper Spray Arm	Spray Arm
Status Indicator Floor Beam	Yes
Tub Color	Stainless Steel
Tub Design	Tall Tub
Tub Material	Stainless Steel
Wash Levels	5
Wash System	Direct Feed

Dishwasher Options

Air Dry	Yes
Dry - Air	Yes
Dry - Heat	Yes
Dry - Max	Yes
Drying System	MaxBoost
Heated Dry	Yes
High Temperature	No
Start/Cancel	Yes

Upper Rack

Cup Shelf	Yes
Fold-Down	Yes
Maximum Height Clearance	10 3/8"
Minimum Height Clearance	8 1/2"
Rack Coating	Nylon
Rack Handles	No
Rack Type	Adjustable
Stemware Holder	Yes
Targeted Wash Zone	Yes

Dishwasher Cycles

China Crystal	Yes
Energy Saver	Yes
Favorite	Yes
Heavy	Yes
Normal	Yes
Number of Cycles	7
Quick	Yes
Rinse Only	No
Sanitize	Yes

Lower Rack

Fold-Down	Yes
Maximum Height Clearance	13 1/4"
Minimum Height Clearance	11 1/4"
Number of Silverware Basket	1
Number of Silverware Basket Lids	2
Rack Coating	Nylon
Rack Type	Deluxe

Third Level Rack

Third Level Rack	Yes
Rack Coating	Nylon
Rack Handles	No

Exterior

Door and Handle Design	Wide Pocket
Door Latch	Pull
Door Type	StayPut

Electrical Specifications

Amps @ 120 Volts	15 Amps
Voltage Rating	120 V

General Specifications

Sound Level	47 dBA
Annual Energy	240 kWh
Prop 65 Label	No
Warranty - Labor	1 Year
Warranty - Parts	1 Year

Performance Certifications and Approvals

CEE Tier	Tier 1
ENERGY STAR Certified	Yes

24" Stainless Steel Tub Built-In Dishwasher with CleanBoost™	5464
Available Products: GDSP4715AF	Available Colors: Stainless Steel
Version: 10/25	

Controls

Control Location	Top
Control Lock	Yes
Delay Start Hours	1-12 Hours
Digital Display	Yes
Rinse Aid Indicator	Yes

Dimensions and Volume

Minimum Height	33 3/4"
Maximum Height	35 3/4"
Width	24"
Depth	24 1/4"
Depth With Door Open	50 1/4"

Installation

Connection Location	Right Bottom
Number of Leveling Legs	3
Water Inlet Location	Left Bottom Front

Certifications and Approvals

ADA Compliant	No
---------------	----

Safety Certifications and Approvals

cUL Listed	Yes
ETL Listed	Yes
Meets ASSE 1006 Requirements	Yes
NSF Certified	Yes
UL Listed	Yes

Right to Repair Details

Right to Repair	Partially Available - Visit frigidaire.ca/right-to-repair for more information
-----------------	---

Installation Diagram

