FRIGIDAIRE.



24" Built-In Dishwasher with EvenDry™ System

Dishwasher

Available Products: FDSH4501AS

Available Colors: Stainless Steel

Version: 10/25

Product Specifications

Dishwasher		Dishwasher Cycles	
Detergent Dispenser	Yes	China Crystal	Yes
Filter Material	Stainless Steel	Energy Saver	Yes
Filter Trap	Removable	Heavy	Yes
Filtered Water	100 %	Normal	Yes
Hard Food Disposer or Filtration	Yes	Number of Cycles	5
Motor Speeds	Multi-Speed	Rinse Only	Yes
Place Setting Capacity	14	Upper Rack	Yes
Rinse Aid Dispenser	Yes		
Smart Soil Sensor	Yes	Lower Rack	
Lower Spray Arm	Blade	Number of Silverware Basket	1
Middle Spray Arm	Bi-Beam	Rack Type	Deluxe
Upper Spray Arm	Spray Arm		
Tub Design	Tall Tub	Third Level Rack	
Tub Material	Stainless Steel	Third Level Rack Third Level Rack	Yes
Wash Levels	5	THIRD ECYCLINGEN	162
Wash System	Direct Feed	T-4i	
Water Pressure	120 psi	— Exterior	TT 11
	·	Door and Handle Design	Handle
Dishwasher Options		Door Type	Standard
Drying System	Fan Assist		
Heated Dry	Yes	— Electrical Specifications	
High Temperature	Yes	Voltage Rating	120 V
Start/Cancel	Yes		
Start Caricer	ics	General Specifications	
Upper Rack		Sound Level	49 dBA
Cup Shelf	Yes	Annual Energy	240 kWh
Cup Sileii	res	Warranty - Labor	1 Year
Control		Warranty - Parts	1 Year
Controls			
Control Location	Тор	— Safety Certifications and Approvals	
Delay Start Hours	1-24 Hours	Meets ASSE 1006 Requirements	Yes
		NSF Certified	Yes
Dimensions and Volume		UL Listed	Yes
Minimum Height	33 3/4"		
Maximum Height	35 3/4"		
Width	24"		
Depth	24"		
Depth With Door Open	50 1/4"		
Installation			
Number of Leveling Legs	3		
	_		

24" Built-In Dishwasher with EvenDry™ System	5464
Available Products: FDSH4501AS	Available Colors: Stainless Steel
Version: 10/25	

Performance Certifications and Approvals

CEE Tier	Tier 1
ENERGY STAR Certified	Yes
Right to Repair Details	
Right to Repair	Partially Available - Visit frigidaire.ca/right-to- repair for more information

Available Products: FDSH4501AS Available Colors: Stainless Steel

Version: 10/25

Installation Diagram



