SUMMIT

FFBF235PLIMLHD



73" x 23.5" x 23.25" (H x W x D)

24" wide bottom freezer refrigerator with icemaker in a stainless steel look with digital controls and a counter depth fit

Highlights:

Sized with a counter depth fit for easier placement in space-challenged kitchens

Factory-installed icemaker inside the freezer for a steady supply of ice cubes

Super Freeze setting allows you to rapidly cool the freezer section, ideal for bringing newly loaded groceries


Product Features:

Counter Depth Bottom Freezer Refrigerator	10.8 cu. Ft. Refrigerator-freezer in a unique 23.5" W x 23.25" D fit is ideal for smaller kitchens and apartments
No-frost operation	Frost-free operation for minimum user maintenance
Stainless steel look	Doors offer the look of stainless steel complete with a horizontal grain but the easier cleanability of a fingerprint-resistant steel finish
Digital controls	Innovative control panel located inside the refrigerator makes it easy to manage the refrigerator temperature at the touch of a button
Factory-installed icemaker	Enjoy a steady supply of cubes in the freezer section
Humidity controlled crisper	Large crisper drawer allows you to ensure the optimum storage of fruits and vegetables
Convertible crisper/deli drawer	Additional crisper allows you to store meats and deli items at a slightly colder temperature or convert to a second crisper using the easy slide control
Adjustable glass shelves	Steel-trimmed shelves users can rearrange to accommodate all shapes and sizes or remove shelves for a simple clean-up
Adjustable door storage	Store tall bottles and condiments right on the door for convenient access


SUMMIT

FFBF235PLIMLHD Specifications:

Overview	
Nominal Height	73.0" (185 cm)
Height of Cabinet	72.5" (184 cm)
Height to Hinge Cap	73.0" (185 cm)
Nominal Width	24.0" (61 cm)
Width	23.5" (60 cm)
Nominal Depth	24.0" (61 cm)
Depth	23.25" (59 cm)
Depth with Handle	25.75" (65 cm)
Depth with door at 90°	44.63" (113 cm)
Capacity	10.8 cu.ft. (306 L)
Defrost Type	Frost-Free/Automatic
Door	Stainless Look
Cabinet	Gray
US Electrical Safety	ETL
Canadian Electrical Safety	ETL-C
Energy Usage/Year	475.0kWh/year
Amps	1.3
Plug Type	NEMA 5-15P
Voltage/Frequency	115 V AC/60 Hz
Weight	135.0 lbs. (61 kg)
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101161143
Refrigerator-Freezer	
Door Swing	LHD
Reversible	No
Adjustable Shelves	Yes
Interior Drawers	Yes
Drawer Qty	4
Crisper Qty	2
Crisper Finish	Transparent
Crisper Cover	Plastic
Wine Bottle Shelving	Yes
Interior Light	Yes
Refrigerator - Interior Height	37.0" (94 cm)
Refrigerator - Interior Width	20.5" (52 cm)
Refrigerator - Interior Depth	17.75" (45 cm)
Refrigerator - Capacity	7.35 cu.ft
Refrigerator - Shelf Type	Glass and Scalloped
Refrigerator - Shelf Qty	3
Refrigerator - Full Door Shelves	2
Freezer - Interior Height	26.75" (68 cm)
Freezer - Interior Width	17.0" (43 cm)
Freezer - Interior Depth	14.0" (36 cm)
Freezer - Capacity	3.43 cu.ft
Freezer - Shelf Type	Drawers
Thermostat Type	Digital
Fan Type	Interior
Refrigerant Type	R600a
Refrigerant Amount	1.58 oz.
High Side PSI	250.0
Low Side PSI	88.0
Level Legs	2
Interior Height - Drawer 1	5.5" (14 cm)
Interior Width - Drawer 1	20.5" (52 cm)
Interior Depth - Drawer 1	12.0" (30 cm)
Interior Height - Drawer 2	8.0" (20 cm)
Interior Width - Drawer 2	20.5" (52 cm)
Interior Depth - Drawer 2	16.5" (42 cm)
Interior Height - Drawer 3	9.5" (24 cm)
Interior Width - Drawer 3	17.0" (43 cm)
Interior Depth - Drawer 3	12.75" (32 cm)
Interior Height - Drawer 4	9.0" (23 cm)
Interior Width - Drawer 4	17.0" (43 cm)
Interior Depth - Drawer 4	8.5" (22 cm)
Compressor Step Height	10.0" (25 cm)
Compressor Step Width	17.0" (43 cm)
Compressor Step Depth	5.0" (13 cm)
Sound Level	32.9 dB



SUMMIT APPLIANCE DIVISION, FELIX STORCH, INC. | ISO 9001:2015 Certified
770 Garrison Avenue Bronx, NY 10474 USA **TEL** 718-893-3900 **FAX** 844-478-8799 info@summitappliance.com **www.summitappliance.com**



SUMMIT APPLIANCE DIVISION, FELIX STORCH, INC. | ISO 9001:2015 Certified
770 Garrison Avenue Bronx, NY 10474 USA **TEL** 718-893-3900 **FAX** 844-478-8799 info@summitappliance.com **www.summitappliance.com**