XOU30BWDDGS

UNDERCOUNTER COMBO
BEVERAGE CENTER & WINE COOLER





- Zero clearance hinges for a flush installation
- Fully extending telescoping racks and shelves
- Individual digital touch contols
- Individual door locks

30” UNDERCOUNTER COMBO UNIT

THE ULTIMATE IN CONVENIENT ENTERTAINING -YOUR FAVORITE VINTAGES AND ICY COLD BEVERAGES READY TO SERVE, JUST WHERE YOU WANT THEM


Your XO French Door Combo Unit has the ability to store both wine at 41° to 64° F ready to serve and icy cold beverages from 34° to 50°F in the same compact system. Designed to fit under a counter and where ever your life takes you.

WORLD CLASS SERVICE | COMPREHENSIVE WARRANTIES


OUR LASTING COMMITMENT TO YOU

XOU30BWDDGS


30” COMBO UNIT
DOUBLE DOOR



FRONT



SIDE



TOP

FEATURES

CAPACITY

Full extension shelves and racks hold:
(28) 750ml bottles at 41 °to 64 °F
(66) 12oz cans at 34° to 50 °F


FEATURES

- Zero clearance hinges for flush integration*
- Secure door lock
- Non- reversible door - specify right or left hinge
- Library quiet 37 dBA operation
- Elegant tri-color interior illumination
- Intuitive digital touch controls
- 6’ Power Cord with low profile 90 °flat plug
- Low E Glass blocks harmful UV light
- Alarm Functions
- Energy Saver and Sabbath Mode

* Note: zero clearance hinges are visible just above and below the door panel

SPECIFICATIONS

ELECTRICAL	115V 60HZ 1.2 AMP*	
DIMENSIONS	H	34 1/8”
	W	29 7/8”
	D	23 3/4”
ROUGH IN	H	34 1/4“ min
	W	30”
	D	24”
REFRIGERANT	R600A	




INCLUDES TWO DIFFERENT STYLE HANDLES

the next level in luxury appliances

xoappliance.com | 800.966.8300

XO is exclusively distributed by
EASTERN MARKETING CORP.
24 Eisenhower Parkway
Roseland, NJ 07068


ROUGH IN DIMENSIONS




ALL XO UNDERCOUNTER UNITS ARRIVE PRE-WIRED WITH LOW PROFILE PLUGS FOR EASY INSTALLATION



NEED MORE SPACE - CUT INTO AN ADJOINING CABINET TO REACH AN OUTLET THERE





WHEN INSTALLING WITH THE HINGE SIDE NEXT TO A WALL - LEAVE 1-3/4” CLEARANCE GAP FOR CABINET HANDLES

DOOR MUST BE ABLE TO OPEN A MINIMUM OF 90°.

IF THE DOOR CANNOT OPEN FULLY YOU CANNOT EXTEND THE SHELVES