



## 30" Front Control Electric Range

### Electric Range

Available Products: FCFE3062AB, FCFE3062AS, FCFE3062AW

Available Colors: Black, Stainless Steel, White

Version: 09/26

## Product Specifications

### Cooking Controls

|                             |     |
|-----------------------------|-----|
| Bake                        | Yes |
| Broil                       | Yes |
| Cancel                      | Yes |
| Clear Off                   | Yes |
| Clock                       | Yes |
| Cook Time                   | Yes |
| Delay Start                 | Yes |
| Keep Warm                   | Yes |
| Kitchen Timer               | Yes |
| Lockout                     | Yes |
| On / Off (for each element) | Yes |
| Oven Light                  | Yes |
| Preheat                     | Yes |
| Probe                       | No  |
| Steam Clean                 | Yes |
| Temperature Display         | Yes |
| Timed Bake                  | Yes |
| Timer On / Off              | Yes |
| Warm Zone                   | Yes |

### Oven

|                          |                |
|--------------------------|----------------|
| Bake Element             | 2500 Watts     |
| Bake Element Pass        | 8              |
| Bake Element Type        | Hidden         |
| Bake System              | Yes            |
| Broil Element            | 3000 Watts     |
| Broil Element Pass       | 4              |
| Broil System             | Yes            |
| Cleaning System          | Yes            |
| Number of Rack Positions | 6              |
| Oven Interior Color      | Midnight Black |
| Oven Light Quantity      | 1              |
| Oven Light Type          | Halogen        |
| Oven Light Watts         | 40 Watts       |
| Rack Position Type       | Embossed       |
| Rack Type 1              | Flat           |
| Rack Type 1 Quantity     | 2              |

### Cooking Controls Function

|                               |     |
|-------------------------------|-----|
| Delayed Bake                  | Yes |
| Program Fahrenheit or Celsius | Yes |
| Silent Control Panel          | Yes |

### Cooktop

|                             |        |
|-----------------------------|--------|
| Cooking Surface Type        | Smooth |
| Element On Indicator Light  | Yes    |
| Hot-Surface Indicator Light | Yes    |

### Drawer

|                     |            |
|---------------------|------------|
| Drawer Handle Style | Integrated |
| Drawer Type         | Storage    |

### Display

|                         |                  |
|-------------------------|------------------|
| Control Location        | Front            |
| Display Interface Color | White            |
| Display Type            | Capacitive Touch |

### Electrical Specifications

|                          |         |
|--------------------------|---------|
| Connected Load @ 208V    | 9 kW    |
| Connected Load @ 240V    | 12 kW   |
| Minimum Circuit Required | 40 Amps |
| Voltage Rating           | 240 V   |

### Certifications and Approvals

|               |     |
|---------------|-----|
| ADA Compliant | Yes |
|---------------|-----|

|                                                        |                                                 |
|--------------------------------------------------------|-------------------------------------------------|
| 30" Front Control Electric Range                       | 5486                                            |
| Available Products: FCFE3062AB, FCFE3062AS, FCFE3062AW | Available Colors: Black, Stainless Steel, White |
| Version: 09/26                                         |                                                 |

Cooktop Performance

|                                        |            |
|----------------------------------------|------------|
| Right Front Element Burner Size        | 9"         |
| Right Rear Element Burner Size         | 6"         |
| Left Front Element Burner Size (Small) | 6"         |
| Left Front Element Burner Size (Large) | 9"         |
| Left Rear Element Burner Size          | 6"         |
| Right Front Element Burner             | 3200 Watts |
| Right Rear Element Burner              | 1200 Watts |
| Left Front Element Burner (Small)      | 1400 Watts |
| Left Front Element Burner (Large)      | 3000 Watts |
| Left Rear Element Burner               | 1200 Watts |
| Center Rear Element Burner             | 100 Watts  |

Controls

|              |    |
|--------------|----|
| Control Lock | No |
| Sabbath Mode | No |

Dimensions and Volume

|                          |             |
|--------------------------|-------------|
| Minimum Height           | 35 3/8"     |
| Maximum Height           | 36 3/8"     |
| Width                    | 30"         |
| Depth                    | 26"         |
| Depth With Door 90° Open | 47 5/16"    |
| Depth With Handle        | 28 1/2"     |
| Oven Interior Height     | 18 1/8"     |
| Oven Interior Width      | 25 3/16"    |
| Oven Interior Depth      | 19 7/8"     |
| Oven Capacity            | 5.3 Cu. Ft. |

General Specifications

|                        |                                                                                                 |
|------------------------|-------------------------------------------------------------------------------------------------|
| Frigidaire Fit Promise | Yes                                                                                             |
| Prop 65 Label          | Yes                                                                                             |
| Warranty - Labor       | 1 Year                                                                                          |
| Warranty - Parts       | 1 Year                                                                                          |
| AB-1200                | Information available at <a href="http://frigidaire.com/en/ab1200">frigidaire.com/en/ab1200</a> |

Performance Certifications and Approvals

|                       |     |
|-----------------------|-----|
| ENERGY STAR Certified | Yes |
|-----------------------|-----|

Safety Certifications and Approvals

|            |     |
|------------|-----|
| cUL Listed | Yes |
| UL Listed  | Yes |

## Installation Diagram




Fig. 1




Fig. 2

\*30" (762 mm) MINIMUM CLEARANCE BETWEEN THE TOP OF THE COOKING SURFACE AND THE BOTTOM OF AN UNPROTECTED WOOD OR METAL CABINET; OR 24" (610 mm) MINIMUM WHEN BOTTOM OF WOOD OR METAL CABINET IS PROTECTED BY NOT LESS THAN 1/4" (6 mm) FLAME RETARDANT MILLBOARD COVERED WITH NOT LESS THAN NO. 28 MSG SHEET STEEL, 0.015" (0.4 mm) STAINLESS STEEL, 0.024" (0.6 mm) ALUMINUM OR 0.020" (0.5 mm) COPPER. 0" (0 mm) CLEARANCE IS THE MINIMUM FOR THE REAR OF THE RANGE. FOLLOW ALL DIMENSION REQUIREMENTS PROVIDED ABOVE TO PREVENT PROPERTY DAMAGE, POTENTIAL FIRE HAZARD, AND INCORRECT COUNTERTOP AND CABINET CUTS.

TO ELIMINATE THE RISK OF BURNS OR FIRE BY REACHING OVER HEATED SURFACE UNITS, CABINET STORAGE SPACE LOCATED ABOVE THE SURFACE UNITS SHOULD BE AVOIDED. IF CABINET STORAGE IS TO BE PROVIDED, THE RISK CAN BE REDUCED BY INSTALLING A RANGE HOOD THAT PROJECTS HORIZONTALLY A MINIMUM OF 5" (127 mm) BEYOND THE BOTTOM OF THE CABINETS.




Fig. 3