# WATER SHEET Cascade spout for wall-mounted installation - Brushed Light Gold (PVD)

SERIES-VARIOUS

13 415 979 Product version from 10/1/2023



- CASCADE, flow rate max. 7 gpm (at 3 bar)
- Function from: 5.9 gpm
- Descaling system

**Technical data:**

- Cover plate 9-1/2" x 2-3/8"
- 5-7/8" Projection
- 1/2" connection
- Plug-in connection mounting

**Notes:**

Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO, COYA

| | |
|---|---|
| Brushed Light Gold (PVD) | 13 415 979-27 |
| Chrome | 13 415 979-00 |
| Brushed Platinum | 13 415 979-06 |
| Platinum | 13 415 979-08 |
| Dark Chrome | 13 415 979-19 |
| Light Gold (PVD) | 13 415 979-26 |
| Brushed Durabrass (23kt Gold) | 13 415 979-28 |
| Matte Black | 13 415 979-33 |
| Brushed Gold (PVD) | 13 415 979-37 |
| Brushed Dark Brass (PVD) | 13 415 979-39 |
| Brushed Bronze (PVD) | 13 415 979-42 |
| Brushed Dark Bronze (PVD) | 13 415 979-43 |
| Brushed Champagne (22kt Gold) | 13 415 979-46 |
| Champagne (22kt Gold) | 13 415 979-47 |
| Brushed Chrome | 13 415 979-93 |
| Brushed Dark Platinum | 13 415 979-99 |

## Required article


| | |
|---|---|
| **Rough-in adapter -** | 35 080 970-90 0010 |




# WATER SHEET Cascade spout for wall-mounted installation - Brushed Light Gold (PVD)

SERIES-VARIOUS


13 415 979 Product version from 10/1/2023
mm [inches]




## Flow rate chart




## Trajectory length diagram






## Codes & Standards

| | | | |
|---|---|---|---|
| ASME A112.18.1 | cUPC | Scottish Water Byelaws | UK Water Supply Regulations |

DORN BRACHT

# WATER SHEET Cascade spout for wall-mounted installation - Brushed Light Gold (PVD)

SERIES-VARIOUS

13 415 979 Product version from 10/1/2023

## Certificates and sustainability


WRAS_2306 IAPMO_4976 (

DORN BRACHT

# WATER SHEET Cascade spout for wall-mounted installation - Brushed Light Gold (PVD)

SERIES-VARIOUS

13 415 979 Product version from 10/1/2023




## Spare parts list

| Number | Item Number | Designation | Number of units | Lead time |
|---|---|---|---|---|
| 8 | 09 24 03 214 90 | nipple | 2.00 | 14 |
| 4 | 04 30 31 024 01 90 | fixing set | 1.00 | 14 |
| 3 | 09 14 03 134 90 | seal | 1.00 | 14 |
| 7 | 09 31 11 040 90 | pin | 2.00 | 14 |
| 1 | 09 23 01 057 90 | flow reducer | 1.00 | 14 |
| 5 | 09 17 97 059 90 | holder | 1.00 | 14 |
| 11 | 90 29 03 059 00 90 | insert | 1.00 | 14 |
| 10 | 09 11 78 003 20-27 | spout | 1.00 | 82 |
| 6 | 09 31 11 036 90 | pin | 2.00 | 14 |
| 2 | 90 24 03 213 00 90 | connection | 1.00 | 14 |
| 9 | 09 27 78 031-27 | rosette | 1.00 | 82 |