

Hercules Smooth Pull (86480)

Projection: 2 ¼"
A= 8 ⅝"
Base: ⅝" x ¾"



Hercules Knurled Pull (86481)

Projection: 2 ¼"
A= 8 ⅝"
Base: ⅝" x ¾"



Brisbane Pull (86170)

Projection: 1 ¹³⁄₁₆"
A= 8 ⁹⁄₁₆"
Base: ¹³⁄₁₆" x ⁹⁄₁₆"



Baden Pull (86184) Stainless Steel & Baden Pull (S86002)

Projection: 2 ⅛"
A= 8 ⅝"
Base: 1" x ¹⁄₁₆"



Urban Modern Pull (86176)

Projection: 1 ⅞"
A= 8 ⅝"
Base: ⅞" x ¾"



Wilshire Pull (86078)

Projection: 2 1/8"
A= 8 7/8"
Base: 1 1/8" Diameter



Knoxville Pull (86077)

Projection: 2 1/2"
A= 8 13/16"
Base: 3/4" Diameter



Ribbon & Reed Pull (86080)

Projection: 2 3/8"
A= 8 15/16"
Base: 1" Diameter



Arts & Crafts Pull (86079)

Projection: 2 1/8"
A= 8 7/8"
Base: 1 1/8" Diameter

EMTEK





Drilled to accept 8" pull

Thickness: 3⁄8”
A= 10”
B= 8” Screw-to-Screw

Modern Rectangular
Flush Pull
for Door Pull
(221710)
Flush Pull Only



Modern Push Plate
(86436)

A= 2 1/8” Screw-to-Screw
B= 11 1/8” Screw-to-Screw



Modern Pull Plate (86437)
Plate only
Drilled to accept 8" pull

A= 2 1/8” Screw-to-Screw
B= 11 1/8” Screw-to-Screw



Knoxville Push (86081)
Plate

A= 2 1/8” Screw-to-Screw
B= 11 1/8” Screw-to-Screw



Knoxville Pull Plate (86082)
Plate only
Drilled to accept 8" pull

A= 2 1/8” Screw-to-Screw
B= 11 1/8” Screw-to-Screw

8 ¾" Screw-to-Screw



8 ¾"
Bronze Rustic
Modern Rectangular
(86180)

A = 9 ½"
Projection: 2"
Base: 1" x 11/16"

8" Screw-to-Screw



8"
Bronze Rustic
Modern Arched
(86439)

A = 8½"
Projection: 2½"
Base: 13/16"



8"
Bronze Twig Pull
(86090)

A = 11"
Projection: 3"
Base Diameter: 7/8"



8"
Bronze Rod Pull
(86088)

A = 9 13/16"
Projection: 2 9/16"
Base Diameter: 1 13/16"



8"
Bronze Nunez Pull
(86160)

A = 9 7/8"
Projection: 2 3/4"
Clearance: 1 11/16"

Standard Components:
- 1", 10-32 Screws
- 1", ¼"-20 Screws
- Inserts for ¼"-20 screws
- Inserts for 10-32 screws



12"
Bronze Rod Pull
(86068)

Projection: 2 9/16"
Clearance: 1 3/4"

18" Overall



18"
Bronze Rod Pull
(86089)

A = 18" B = 15"
Projection: 3 3/16"
Base Diameter: 3"

Screw Specifications
Bronze 18" Pulls

Standard Components:
- #10, 1" Wood Screws



Tuscany 8" Twist Pull
(86069)

Projection: 2¾"
Base = 1¼"
Squared



Tuscany 8" Palermo Pull
(86167)

Projection: 2 13/16"
Clearance: 1¾"
Base: 1¼" Dia.



Tuscany 8" Recoleta Pull
(86168)

Projection: 2⅞"
Clearance: 1⅝"
Base: 1 3/16"



Tuscany 8" Column Pull
(86156)

Projection: 3"
Base = 1¼"
Squared

Screw Specifications
Tuscany Bronze 8" Pulls

Standard
Components:
- 1", 10-32 Screws
- 1", ¼"-20 Screws

8" Tuscany Pull
Fits Door Thickness 1-⅜" to 2-¼"



Screw Specifications
Art Nouveau 8" Pull
- 1½", 8-32 Screws

8" Screw-to-Screw



Left Hand
(86144LH)

Right Hand
(86144RH)

A = 9 3/16" B = 1 7/16"
Projection: 2½"

Base: 1¼" x 1¼"



Tuscany 12" Twist Pull
(86169)

Projection: 2¾"
Clearance: 1 13/16"

Discontinued.
No Longer Available

Base: 1¼" x 1¼"



Tuscany 12" Twist Pull
(86159)

Projection: 3"
Clearance: 2"

Discontinued.
No Longer Available

Standard Components:
- 1", 10-32 Screws
- 1", ¼"-20 Screws
- Inserts for ¼"-20 screws
- Inserts for 10-32 screws



Tuscany 18" Column Pull
(86157)
Supplied with
#10 wood screws.

A = 13 7/16" Screw-to-Screw
Base = 2"L, 2¾"W



Discontinued.
No Longer Available



Tuscany 24" Column Pull
(86158)
Supplied with
#10 wood screws.

A = 19 7/16" Screw-to-Screw
Base = 2"L, 2¾"W



Discontinued.
No Longer Available



Tuscany Petal
Pull Plate (86182)
Plate only
drilled to accept 8” pull

A = $2\frac{5}{32}$” Screw-to-Screw
B = $11\frac{1}{4}$” Screw-to-Screw



Tuscany Petal
Push Plate (86181)

A = $2\frac{5}{32}$” Screw-to-Screw
B = $11\frac{1}{4}$” Screw-to-Screw

8" Screw-to-Screw



Lafayette (76030)

A = 8 13/16"
Projection: 2 1/2"
Base: 3/4" Diameter



Normandy (76031)

A = 8 13/16"
Projection: 2 1/2"
Base: 3/4" Diameter



San Carlos 8" (76028)

A = 12 1/4", B = 2 1/2", C = 1 1/8"
Projection: 2 7/16"



A = 14 3/4" Screw-to-Screw
Projection: 3"

San Carlos, 18" (76029)



A = 21 15/16" Screw-to-Screw
Projection: 3"

San Carlos, 24" (76041)

Screw Specifications
Wrought Steel 8" Pulls

Standard Components:
- 1", 10-32 Screws
- 1", ¼"-20 Screws
- Inserts for ¼"-20 screws
- Inserts for 10-32 screws

Screw Specifications
Wrought Steel 18" & 24 Pulls

Standard Components:
- #10, 1" Wood Screws