

BROAN
NuTone
BETTER AIR. BETTER LIFE.

Engineered with over

50 ✓

POINTS OF INSPECTION



20% MORE EFFECTIVE
at removing pollutants



44%
QUIETER

ALT1


ALT2

ALT3 & 4

Alta SERIES

More power. More features.
Step-up your ventilation.





ALT1303SS

Engineered with over
50
POINTS OF INSPECTION

20% MORE EFFECTIVE
at removing pollutants

up to **44%**
QUIETER

Alta 1 SERIES

Width (inches)	30
Max Blower CFM ¹	350
Sones ²	1.5
Duct	3-1/4" x 10" or 7" RD

SS WW

Hidden
Rocker
Switches

GU10 LED
Lighting

High
Efficiency
Micro-mesh
Filters



ALT2303BLS

Engineered with over
50
POINTS OF INSPECTION

20% MORE EFFECTIVE
at removing pollutants

up to **44%**
QUIETER

Alta 2 SERIES



Width (inches)	30
Max Blower CFM ¹	350
Sones ²	1.5
Duct	3-1/4" x 10" or 7" RD

SS BLS

Hidden
Rocker
Switches

Strip LED
Lighting

High
Efficiency
Micro-mesh
Filters



ALT3304WW

Engineered with over
50
POINTS OF INSPECTION

**AUTOMATED
VENTILATION**
WITH SmartSense®

up to **71%**
QUIETER

Alta 3 SERIES

Width (inches)	30
Max Blower CFM ¹	490 (Dual Blower)
Sones ²	1.1
Duct	3-1/4" x 10" or 7" RD


SS WW

CR
CODE READY
TECHNOLOGY

Whisper
Touch
Infrared
Controls

Strip LED
Lighting

Ultra
Efficiency
Hybrid Baffle
Filters



ALT4306SS

Engineered with over
50
POINTS OF INSPECTION

**AUTOMATED
VENTILATION**
WITH SmartSense®

**MOST
POWERFUL
UNDER CABINET**
FROM
BROAN-NUTONE

Alta 4 SERIES

Width (inches)	30
Max Blower CFM ¹	640 (Dual Blower) ✓
Sones ²	0.8
Duct	3-1/4" x 10" or 7" RD


SS

CR
CODE READY
TECHNOLOGY

Whisper
Touch
Infrared
Controls

Strip LED
Lighting

Ultra
Efficiency
Hybrid Baffle
Filters



¹ MAX Blower CFM indicates hood blower performance in open air. Find HVI rated performance for these models in the product specification sheet at Broan-NuTone.com

² Sones at normal (or working) speed.

³ SS=Stainless Steel, BLS=Black Stainless Steel, WW=White with color-matched controls.



BROAN-NUTONE.COM | 800-558-1711 | 926 WEST STATE STREET, HARTFORD, WISCONSIN 53027
BROAN-NUTONE.CA | 800-567-3855 | 550 LEMIRE BLVD., DRUMMONDVILLE, QUEBEC J2C 7W9


FROM THE LEADER IN INDOOR AIR QUALITY



SÉRIE **Alta**

Plus de puissance. Plus de fonctionnalités.
Améliorez votre ventilation.





ALT1303SS

Conçu avec plus de
50
POINTS D'INSPECTION

20% PLUS EFFICACE
pour éliminer les polluants

jusqu'à **44%**
PLUS SILENCIEUX

SÉRIE Alta 1

Largeur (pouce)	30
Puissance maximale pi^3/min^1	350
Sones ²	1,5
Conduit	3 1/4 po x 10 po ou 7 po rond

SS

WW

Commandes
à bascule
dissimulées

Éclairage à
DEL GU10

Filtres à
mailles fines
haute
efficacité



ALT2303BLS

Conçu avec plus de
50
POINTS D'INSPECTION

20% PLUS EFFICACE
pour éliminer les polluants

jusqu'à **44%**
PLUS SILENCIEUX

SÉRIE Alta 2

Largeur (pouce)	30
Puissance maximale pi^3/min^1	350
Sones ²	1,5
Conduit	3 1/4 po x 10 po ou 7 po rond


SS

BLS

Commandes
à bascule
dissimulées

Bandes
d'éclairage
à DEL

Filtres à
mailles fines
haute
efficacité



ALT3304WW

Conçu avec plus de
50
POINTS D'INSPECTION

**VENTILATION
AUTOMATISÉE**
AVEC SmartSense®

jusqu'à **71%**
PLUS SILENCIEUX

SÉRIE Alta 3

Largeur (pouce)	30
Puissance maximale pi^3/min^1	490 (Ventilateur double)
Sones ²	1,1
Conduit	3 1/4 po x 10 po ou 7 po rond

SS

WW

TECHNOLOGIE
CERT
CODE READY.

Commandes
infrarouges

Bandes
d'éclairage
à DEL

Filtres à
chicane haute
efficacité



ALT4306SS

Conçu avec plus de
50
POINTS D'INSPECTION

**VENTILATION
AUTOMATISÉE**
AVEC SmartSense®

**SOUS-ARMOIRE
LA PLUS
PUISSANTE**
DE
BROAN-NUTONE

SÉRIE Alta 4

Largeur (pouce)	30
Puissance maximale pi^3/min^1	640 (Ventilateur double) ✓
Sones ²	0,8
Conduit	3 1/4 po x 10 po ou 7 po rond


SS

TECHNOLOGIE
CERT
CODE READY.

Commandes
infrarouges

Bandes
d'éclairage
à DEL

Filtres à
chicane haute
efficacité



¹ Puissance maximale pi^3/min indique la performance du ventilateur de la hotte à l'air libre. Vous trouverez les performances cotées HVI pour ces modèles, dans la fiche technique du produit sur le site Broan-Nutone.ca

² Sones à la vitesse normale (ou en fonction).

³ SS=Acier inoxydable, BLS=Acier inoxydable noir, WW=Blanc avec commande à couleur assortie.



**BROAN
NuTone**
RESPIREZ MIEUX, VIVEZ MIEUX.

BROAN-NUTONE.CA | 800 567-3855 | 550, BOUL. LEMIRE, DRUMMONDVILLE (QUÉBEC) J2C 7W9

PAR LE LEADER DE LA QUALITÉ DE L'AIR INTÉRIEUR