

## KFMC 3632 R

### 30" MasterCool Bottom Mount

#### Features

BrilliantLight – Perfectly illuminated  
 M Touch Pro – Convenient operation with the tap of a finger  
 SmartLight – Individually customizable lighting  
 Longlife AirClean System – Fresh food without unpleasant odors  
 IceMaker – Ice cubes for cool drinks  
 MasterFresh Pro – Protective storage for long-lasting freshness  
 Miele@Home – Cleverly networked

#### Included Accessories

Ice scoop  
 Longlife AirClean filter  
 Water filter


<b>Material #</b>	12489450
-------------------	----------



#### SPECIFICATIONS



Overall Unit Dimensions	29 3/4" (756 mm) W x 83 9/16 - 85 1/2" (2123 - 2171 mm) H x 24" (610 mm) D <i>(Depth does not include door panel)</i>	
Niche		
Minimum Cabinet Niche Opening	30" (762 mm) W x 84" (2134 mm) H x 25" (635 mm) D <i>(flush installation)</i>	30" (762 mm) W x 84" (2134 mm) H x 24" (610 mm) D <i>(proud installation)</i>
Connection		
Plumbing and Electrical	Required Power Supply: 110–120 V, 60 Hz. Total Amps: 15 Amps. Connecting cable: 118" (3.0 m), detachable. Cold water connection required. Water pressure: 29 to 116 psi.	

#### Product and Cutout Dimensions




## Flush Installation

### Product and Cutout Dimensions




Top View




## Proud Installation

Product and Cutout Dimensions




Top View



## Additional Dimensions


Panel Details

[mm]




Side View Bottom

[mm]



Hinge Details

[mm]



Frame Details

[mm]

