

KFMC 3642 FD

36" MasterCool FrenchDoor

Features

BrilliantLight – Perfectly illuminated
 M Touch Pro – Convenient operation with the tap of a finger
 SmartLight – Individually customizable lighting
 Longlife AirClean System – Fresh food without unpleasant odors
 IceMaker – Ice cubes for cool drinks
 MasterFresh Pro – Protective storage for long-lasting freshness
 Miele@Home – Cleverly networked

Included Accessories

Ice scoop
 Longlife AirClean filter
 Water filter




Material #	12489500
-------------------	----------

SPECIFICATIONS



Overall Unit Dimensions	35 1/4" (895 mm) W x 83 9/16 - 85 1/2" (2123 - 2171 mm) H x 24" (610 mm) D <i>(Depth does not include door panel)</i>	
Niche		
Minimum Cabinet Niche Opening	36" (914 mm) W x 84" (2134 mm) H x 25" (635 mm) D <i>(flush installation)</i>	35 1/2" (902 mm) W x 84" (2134 mm) H x 24" (610 mm) D <i>(proud installation)</i>
Connection		
Plumbing and Electrical	Required Power Supply: 110–120 V, 60 Hz. Total Amps: 15 Amps. Connecting cable: 118" (3.0 m), detachable. Cold water connection required. Water pressure: 29 to 116 psi.	

Product and Cutout Dimensions




Flush Installation

Product and Cutout Dimensions




Top View




Proud Installation

Product and Cutout Dimensions




Top View




Additional Dimensions


Panel Details



Side View Bottom



Hinge Details



Frame Details

