

KWTUS 7172 F Built-under wine storage unit with FlexiFrame, ActiveHumidity, and NoteBoard in a compact design.



- Storage of all bottle sizes/shapes thanks to FlexiFrame
- Perfect regulation of humidity with ActiveHumidity
- Writing on the wooden shelves on the NoteBoard
- UV-resistant insulated glass
- Presented in perfect light LED lighting

EAN: 4002516779377 / Material number: 12519520 / Old Material Number: 39717210USA

Old Material Number: 39717210USA	
Appliance category	
Wine storage unit	•
Design	
Built-in	•
Built-in integrated	•
Built-in built-under	•
Door hinge side	right
Convertible hinging	•
Can be installed side-by-side	•
Design	
Casing color	black
Wine compartment lighting	continuously dimmable LED
User convenience	
Networking with Miele@home	•
Active AirClean filter	•
DynaCool	•
ActiveHumidity	•
SoftClose door closing damper	•
Total number of shelves	5
Number of shelves	5
Shelf material	Beechwood
Number of FlexiFrame Wire Racks	4
Number of shelves for crosswise storage	1
NoteBoard	Yes
	-
NoteBoard	-
NoteBoard Low-vibration storage Control	-
NoteBoard Low-vibration storage	Yes
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer	Yes • FreshTouch
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments	Yes FreshTouch No
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones	Yes FreshTouch No 1
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C)	Yes FreshTouch No 1 5
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C) Max. temperature setting range in °F (°C) Sabbath mode	Yes FreshTouch No 1 5
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C) Max. temperature setting range in °F (°C) Sabbath mode Fridge/fridge zone	Yes FreshTouch No 1 5
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C) Max. temperature setting range in °F (°C) Sabbath mode	Yes FreshTouch No 1 5 20
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C) Max. temperature setting range in °F (°C) Sabbath mode Fridge/fridge zone Dry back wall Safety	Yes FreshTouch No 1 5 20
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C) Max. temperature setting range in °F (°C) Sabbath mode Fridge/fridge zone Dry back wall	Yes FreshTouch No 1 5 20 StainlessSteel
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C) Max. temperature setting range in °F (°C) Sabbath mode Fridge/fridge zone Dry back wall Safety Lock function Acoustic door alarm	Yes FreshTouch No 1 5 20 StainlessSteel
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C) Max. temperature setting range in °F (°C) Sabbath mode Fridge/fridge zone Dry back wall Safety Lock function Acoustic door alarm Acoustic temperature alarm	Yes FreshTouch No 1 5 20 StainlessSteel
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C) Max. temperature setting range in °F (°C) Sabbath mode Fridge/fridge zone Dry back wall Safety Lock function Acoustic door alarm	Yes FreshTouch No 1 5 20 StainlessSteel
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C) Max. temperature setting range in °F (°C) Sabbath mode Fridge/fridge zone Dry back wall Safety Lock function Acoustic door alarm Acoustic temperature alarm Optical door alarm	Yes FreshTouch No 1 5 20 StainlessSteel
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C) Max. temperature setting range in °F (°C) Sabbath mode Fridge/fridge zone Dry back wall Safety Lock function Acoustic door alarm Acoustic temperature alarm Optical door alarm Optical temperature alarm Technical data	Yes FreshTouch No 1 5 20 StainlessSteel
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C) Max. temperature setting range in °F (°C) Sabbath mode Fridge/fridge zone Dry back wall Safety Lock function Acoustic door alarm Acoustic temperature alarm Optical door alarm Optical temperature alarm	Yes FreshTouch No 1 5 20 StainlessSteel 23 5/8 (600)
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C) Max. temperature setting range in °F (°C) Sabbath mode Fridge/fridge zone Dry back wall Safety Lock function Acoustic door alarm Acoustic temperature alarm Optical door alarm Optical temperature alarm Technical data Niche width in inches (mm), min. Niche width in inches (mm), max.	Yes FreshTouch No 1 5 20 StainlessSteel 23 5/8 (600) 23 7/8 (604)
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C) Max. temperature setting range in °F (°C) Sabbath mode Fridge/fridge zone Dry back wall Safety Lock function Acoustic door alarm Acoustic temperature alarm Optical door alarm Optical temperature alarm Technical data Niche width in inches (mm), min. Niche height in inches (mm), max. Niche height in inches (mm), min.	Yes FreshTouch No 1 5 20 StainlessSteel 23 5/8 (600) 23 7/8 (604) 33 7/8 (860)
NoteBoard Low-vibration storage Control Electronic temperature display and control Independent temperature control of fridge and freezer compartments No. of temperature zones Min. temperature setting range in °F (°C) Max. temperature setting range in °F (°C) Sabbath mode Fridge/fridge zone Dry back wall Safety Lock function Acoustic door alarm Acoustic temperature alarm Optical door alarm Optical temperature alarm Technical data Niche width in inches (mm), min. Niche width in inches (mm), max.	Yes FreshTouch No 1 5 20 StainlessSteel 23 5/8 (600) 23 7/8 (604)



KWTUS 7172 F Built-under wine storage unit with FlexiFrame, ActiveHumidity, and NoteBoard in a compact design.



EAN: 4002516779377 / Material number: 12519520 / Old Material Number: 39717210USA Appliance width in in.(mm) 23 5/8 (597) Appliance height in in.(mm) 33 7/8 (859) Appliance depth in in.(mm) 22 1/4 (563) Weight in lbs.(kg) 102 (46.0) 4.03 (114) Wine compartment in L Total usable capacity in cu. ft. (I) 4.03 (114) 0.75 | Bordeaux bottle capacity (no. of bottles) 44 bottles Current consumption in milliampere (mA) 1500 Voltage in V 115 Fuse rating in A 10 Number of phases 1 Frequency in Hz 60 Wire length in ft (m) 7 (2.2) Standard accessories


White chalk •

Míele

KWTUS 7172 F


Built-under wine storage unit

with FlexiFrame, ActiveHumidity, and NoteBoard in a compact design.




KWTUS7172F, interior dimensions (installation drawings) (US)


[in] [mm]




KWTUS7172F, Built-under, installation (installation drawings)




KWTUS7172F, Built-under, side view (installation drawings)



 $\label{eq:KWTUS7172F} KWTUS7172F, Built-under, top view (installation drawings)$



KWTUS7172F, Built-under, Einbauskizze, Nischenmaß (installation drawings) (US, CA)



KWTUS7172F, panel dimensions