6.3 cu. ft. Electric Slide-in Range


- EasyClean®
- 2 Dual Elements (UltraHeat)
- Slide-in Design
- 6.3 cu ft. Large Capacity




COLOR AVAILABILITY	
LSEL6330YE – Stainless Steel	
CAPACITY	
Oven Capacity	6.3 cu. ft.
OVEN FEATURES	
Convection System	No
Oven Cooking Modes	Warm, Bake, Broil, EasyClean®
Infrared Heating™ System	No
Air Sous Vide	No
Built-in Air Fry	No
Temperature Probe	No
Oven Racks	2 Standard
Number of Rack Positions	7
Broil Element	2,600W
Bake Element	2,300W
EasyClean®	Yes
Self Clean	No
GoCook Smart Oven Light	No
Door Lock	No
Automatic Safety Shut-Off	No
COOKTOP FEATURES	
Cooktop Type	Radiant
Number of Elements	4
Element Size / Wattage	
Left Front	Dual 9" / 6" - 3,200W / 1,400W (UltraHeat)
Left Rear	6" / 1,200W
Center	–
Right Front	Dual 9" / 6" - 3,200W / 1,400W (UltraHeat)
Right Rear	6" / 1,200W
Hot Surface LED Indicator	Yes
CONTROLS	
Cooktop Control Type	Front Knobs
Oven Control Type	Front Knob
Display	No
Language	English
Kitchen Timer	No
Timed Cook	No
Clock	No
Temperature Unit of Measure	°F
Cooking Complete Reminder Volume	No
Oven Control Lock	No
CONVENIENCE	
Storage Drawer	No
ADA Compliant	Yes
Sabbath Mode	No
SMART FEATURES	
Wi-Fi Enabled	No
ThinQ® Technology	No
SmartDiagnosis™	No
NFC Tag On	No
FINISHES AND APPEARANCE	
Fingerprint & Smudge Resistant Exterior	No
Cooktop Finish	Black Ceramic Glass w/Gray Pattern
Handle	New Bar Handle
Knobs	3 Step Safety Knobs
Oven Door Feature	WideView™ Window
TECHNICAL SPECS	
ENERGY STAR® Certified	Yes
Required Power Supply	120/208-240 V, 60 Hz, 3-Wire or 4-Wire
Minimum Circuit Rating	40 Amp
kW Rating at 208V	8.6 kW
kW Rating at 240V	11.4 kW
Power Cord	Not Included
Electrical Receptacle	4-Wire (14-50R) 3-Wire (10-50R)
Power Outlet Location	See Installation Diagram

INCLUDED ACCESSORIES	
2 Standard Racks, Rear Filler Kit, Anti-tip Kit	
OPTIONAL ACCESSORIES	
Slide-in Range Filler Kit (Side Gaps)	LSFL301S
DIMENSIONS / CLEARANCES / WEIGHTS	
Product Dimensions (W x H x D w/Handle)	29 7/8" x 37 1/4" x 29 7/32"
Product Height to Cooking Surface	36"
Cutout Dimensions (W x H x D)	30" x 36" x 25"
Carton Dimensions (W x H x D)	32 1/2" x 44" x 30 1/2"
Approx. Weight (Carton)	162 lbs.
LIMITED WARRANTY	
Parts and Labor	1 Year

DIMENSIONS / CLEARANCES





DIMENSIONS / CLEARANCES


A	Cabinet Opening – 30" (762 mm)
1	Acceptable electrical outlet area
2	Normal counter top depth
3	Counter top height
4	Cabinet
5	Wall
6	Center


MINIMUM DIMENSIONS

*30" (76.2 cm) minimum clearance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet; or 24" (60.9 cm) minimum when bottom of wood or metal cabinet is protected by not less than 1/4" (6.4 cm) flame retardant millboard covered with not less than no. 28 MSG sheet steel, 0.015" (0.381 mm) stainless steel, 0.024" (0.610 mm) aluminum or 0.020" (0.508 mm) copper.

**15" (38.1 cm) minimum between countertop and adjacent cabinet bottom.

DIMENSIONS / CLEARANCES





DIMENSIONS / CLEARANCES		
A	Width	29 7/8" (758.8 mm)
B	Height	37 1/4" (946 mm)
C	Depth (Includes Door Handle)	29 7/32" (742 mm)
D	Height (Excludes Vent Trim)	36" (914 mm)
E	Depth (Includes only the product body that is loaded into the cabinet. Excludes door and handles)	24 25/32" (628.4 mm)
F	Depth (Excludes Door Handle)	26 27/32" (682 mm)
G	Depth when door is fully opened	48 5/8" (1235.9 mm)

LG Business Solutions

© 2026 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require Internet access. Content and services may vary by product and are subject to change without notice.