

ASSEMBLY INSTRUCTIONS COASTER FINE FURNITURE



Fine Furniture for every stage of life

300643KW (B1-B3) California King Bed

REVISION 0: 01/17/2017 REVISION 1: 08/14/2018 REVISION 2: 08/20/2018 REVISION 3: 08/27/2019 REVISION 4: 12/17/2020



ASSEMBLY INSTRUCTIONS


ASSEMBLY TIPS:

- 1. Remove hardware from box and sort by size.
- 2. Please check to see that all hardware and parts are present prior to start of assembly.
- 3. Please follow attached instructions in the same sequence as numbered to assure fast & easy assembly.



WARNING!

- 1. Don't attempt to repair or modify parts that are broken or defective. Please contact the store immediately.
- 2. This product is for home use only and not intended for commercial establishments.



ASSEMBLY TIME

40 MINUTES

PARTS IDENTIFICATION

B1 (BOX 1)

<u></u>	DOX I)					
Α	HEADBOARD PANEL		1PC			
В	HEADBOARD LEG	•••	2PCS			
С	HEADBOARD SUPPORT PANEL	•	1PC			
B2 (BOX 2)						
D1	LEFT WING		1PC			
D2	RIGHT WING		1PC			
E	WING SUPPORT	0	2PCS			
B3 (BOX 3)						
F	FOOTBOARD PANEL		1PC			
G1	LEFT BED RAIL	· ·	1PC			
G2	RIGHT BED RAIL		1PC			

NOTE:

Phillips head screw driver is required in the assembly process; however, manufacturer does not provide this item.



ASSEMBLY INSTRUCTIONS

ASSEMBLY TIPS:

- 1. Remove hardware from box and sort by size.
- 2. Please check to see that all hardware and parts are present prior to start of assembly.
- 3. Please follow attached instructions in the same sequence as numbered to assure fast & easy asse



WARNING!

- 1. Don't attempt to repair or modify parts that are broken or defective. Please contact the store immediately.
- 2. This product is for home use only and not intended for commercial establishments.

PARTS IDENTIFICATION

Н	BED SLAT WITHOUT HOLE	<u>·</u>	10PCS
ı	BED SLAT WITH HOLES		3PCS
J	BED SLAT SUPPORT		6PCS
K	FOOTBOARD LEG		2PCS
L	CENTER RAIL		2PCS
M	CENTER RAIL SUPPORT		2PCS
НВ	300643KW (B1) FROM BOX 1 HEADBOARD COMPLETE		1PC
ER1	300643KW (B2) FROM BOX 2 WING COMPLETE		1PC
ER2	300643KW (B2) FROM BOX 2 WING COMPLETE		1PC

NOTE:

Phillips head screw driver is required in the assembly process; however, manufacturer does not provide this item.

ASSEMBLY INSTRUCTIONS



ASSEMBLY TIPS:

- 1. Remove hardware from box and sort by size.
- 2. Please check to see that all hardware and parts are present prior to start of assembly.
- 3. Please follow attached instructions in the same sequence as numbered to assure fast & easy assembly.



WARNING!

- 1. Don't attempt to repair or modify parts that are broken or defective. Please contact the store immediately.
- 2. This product is for home use only and not intended for commercial establishments.

HARDWARE IDENTIFICATION

Z-B3 (BOX 3) - HARDWARE PACK IS LOCATED IN 300643KW (B3)


1	ALLEN WRENCH (Φ6 - BLK)		1PC
2	BOLT 1 (Φ6 X 30mm - RBW)		4PCS
3	BOLT 2 (Φ6 X 45mm - RBW)		12PCS
4	BOLT 3 (Φ6 X 60mm - RBW)		10PCS
5	BOLT 4 (Φ6 X 90mm - RBW)		8PCS
6	SHORT FLAT HEAD SCREW (Ф4 X 16mm - RBW)	(S)111111111110>	8PCS
7	MEDIUM FLAT HEAD SCREW (Φ4 X 32mm - RBW)	(3)mmmmm>	28PCS
8	LONG FLAT HEAD SCREW (Φ4 X 45mm - RBW)	(S)mmmmmm>	4PCS
9	BIG FLAT WASHER (Φ3/8 X 25 X 1 - RBW)		24PCS
10	MEDIUM FLAT WASHER (Φ7 X 19 X 2 - RBW)		24PCS
11	SMALL FLAT WASHER (Φ6 X 13 X 1 - RBW)		4PCS
12	LOCK WASHER (Φ6 - RBW)		24PCS
13	LEVELER (Φ6 X 23mm - RBW)		6PCS

NOTE:


Phillips head screw driver is required in the assembly process; however, manufacturer does not provide this item.



ASSEMBLY INSTRUCTIONS STEP 1




STEP 2






ASSEMBLY INSTRUCTIONS STEP 3




*Assemble wing support at the bottom of the marking line.

STEP 4






ASSEMBLY INSTRUCTIONS STEP 5




STEP 6




PAGE 7 OF 10



ASSEMBLY INSTRUCTIONS STEP 7




STEP 8




PAGE 8 OF 10



ASSEMBLY INSTRUCTIONS STEP 9




STEP 10




PAGE 9 OF 10



ASSEMBLY INSTRUCTIONS STEP 11




STEP 12 COMPLETE



||



Inner Size: 73"W x 86.00"D



Note: Dimension tolerance ± 5%